

# **SUPEX PRODUCTS**

www.supex.com.au







# RV ESSENTIALS

Customised Caravan Starter Packs
Caravan Hose & Fittings
Wheel Ramps & Chocks
RV Lead & Hose Bags
Clothes Airers
Caravan Steps

4	Collapsibles	10
5	Annexe Matting	13
6	Caravan Accessories	14
7	Pole Holder	15
7		

## **CUSTOMISED CARAVAN STARTER PACKS**

### **CUSTOMISED CARAVAN STARTER PACKS**

Customised Caravan Starter Packs designed to suit your van style and your customer's needs.

Develop every aspect of the starter pack, from hose length and diameter, to toilet chemical type and levelling ramps style.

### Includes:

- Your choice of products, in the sizes and quantities you wish
- Reusable bag or sturdy storage container as packaging
- Customised label with your own branding

Easily customised

Adjust pack items to your requirements

Not sure where to start? Take a look at our pre-designed Starter Packs below:

### STANDARD CARAVAN STARTER PACK



### **SCSP**

### Contains:

- I x 10m coil drinking water hose with fittings
- 1 x 10m coil sullage hose, 25mm dia.
- I x 10m 15amp caravan lead
- I x small hose bag
- I x large hose bag
- I x electrical lead bag

Comes in a reusable bag or container

### DELUXE CARAVAN STARTER PACK



### **DCSP**

### Contains:

- I x 10m coil drinking water hose with fittings
- 1 x 10m coil sullage hose, 25mm dia.
- I x 10m 15amp caravan lead
- I x small hose bag
- I x large hose bag
- I x electrical lead bag
- I xT level
- I x levelling ramp

Comes in a reusable bag or container

# **CARAVAN HOSE & FITTINGS**

### **DRINKING WATER HOSE**

Food grade drinking water hose, I2mm dia.

### DRW10

### **DRWI0HF**

- 10m coil
- 10m coil
- Fitting not included Hose fittings included, tap ready

### DRW20

### DRW20HF

- 20m coil • 20m coil
- Fitting not included Hose fittings included, tap ready



### **DRW1230**

- 12mm (dia.) x 30m coil
- Food grade water tank hose; black

### **DRW2530**

- 25mm (dia.) x 30m coil
- Food grade water tank hose; black







### **SULLAGE HOSE**

- For effective grey water drainage
- Smooth bore style reduces particle blockage
- Strong, flexible material prevents holes & leaks

**SUL2510** - 25mm x 10m

**SUL2520** - 25mm x 20m

**SUL2810** - 28mm x 10m

**SUL2820** - 28mm x 20m

**SUL3210** - 32mm x 10m **SUL3810** - 38mm x 10m

**SUL5020** - 50mm x 20m





### DRINKING WATER HOSE FITTINGS

- I. HC4035 Hose repairer, I2mm
- 2. HC4011 Sprinkler adaptor 3/4" BSP tail
- 3. **HC4III** Hose connector, I2mm
- 4. **HC4018** Tap nut adaptor 3/4" and 1"
- 5. HCSETB Four piece brass hose fitting set; suits 12mm hose







5

### **SULLAGE HOSE FITTINGS**

- I. SH25D - Director, 25mm
- loiner, 25mm 2. SH251
- 3. SH25NT - Nut & tail, 25mm
- 4. **SHI425D** Director, I4mm/25mm
- Director, 32mm 5. SH32D
- 6. SH32NT - Nut & tail, 32mm
- 7. SH38NT - Nut & tail, 38mm
- 8. SH38J - Joiner, 38mm
- 9. SH38D - Director, 38mm
- 10. SH4020RN Reducing nipple, 40mm/20mm
- II. SH4025RN Reducing nipple, 40mm/25mm
- **12. SH4025RB** Reducing bush, 40mm/25mm
- **13. SH4032RB** Reducing bush, 40mm/32mm - American thread adapter, I 1/16" 14. HCATA
- 15. SHDC25 - Dust cap to suit 25mm tube







## WHEEL RAMPS & CHOCKS



### **LEVELLING RAMP**



### WHEEL CHOCK



### LEVELLER STORAGE BAG



### CVL<sub>1</sub>

- Made from lightweight, UV resistant Designed to be used in conjunction polypropylene
- Weight rating: 5 tonnes Dimensions: 575mm (I) x 125mm (h)

### CWC<sub>1</sub>

- with CVLI levelling ramps
- Lock into the ramp to keep the wheel in position
- Two chocks per pack

### **CVLB**

- Stores two levelling ramps
- · Includes additional space for wheel chocks

### **SINGLE AXLE WHEEL LEVELLING RAMP**

### **SRWLS**

- · To suit all single axle vans
- Weight rating: 5 tonnes

### Includes:

- Carry bag
- Two ramps
- Two chocks

Dimensions:

560mm (I)  $\times$  200mm (w)  $\times$  130mm (h)

### **DUAL AXLEWHEEL LEVELLING RAMP**

### **SRWLD**

- · To suit all dual axle vans
- Weight rating: 5 tonnes

### Includes:

- · Carry bag
- Two ramps
- Two chocks



430mm (I)  $\times$  195mm (w)  $\times$  90mm (h)



### WHEEL CHOCK



### **SRWWCH**

• Wheel chock with rubber grip along base

Dimensions: 210mm (I) x 120mm  $(w) \times 110mm (h)$ 

### **DUALAXLE** WHEEL CHOCK



### **SRWWCHD**

- Interlocking poly wheel chock for tandem wheel caravans
- Separable for single wheel caravans
- Rubber grip along base

Dimensions: 450mm (I) x 209mm (w) x 119mm (h)

### **RV LEVEL BLOCK** 6 PC SET



### **SRWLCHB**

- Customise ramp height to suit ground and vehicle
- Includes carry bag with handle
- Made from HDPE and and rubber Dimensions: 215mm (I) x 215mm (w)  $\times$  40mm (h)

# RV LEAD & HOSE BAGS CLOTHES AIRERS

### **SMALL HOSE BAG**



### **SHB**

 Small hose bag to suit 10m fresh water hose or 5m sullage hose Dimensions: 370mm dia.

### **LARGE HOSE BAG**



### **LHB**

• Large hose bag to suit 20m freshwater hose or 10m sullage hose Dimensions: 500mm dia.

### **ELECTRICAL LEAD BAG**



### LB<sub>10</sub>

 Holds up to 20m of extension lead Dimensions: 370mm dia.

### **EASY HANG CLOTHES LINE STAINLESS STEEL**



CODE	AWNING LENGTH	CODE	AWNING LENGTH
CLSS8	8'	CLSS17	17'
CLSS9	9'	CLSS18	18'
CLSS10	10'	CLSS19	19'
CLSSII	11'	CLSS20	20'
CLSS12	12'	CLSS21	21'
CLSS13	13'	CLSS22	22'
CLSS14	14'	CLSS23	23'
CLSS15	15'	CLSS24	24'
CLSS16	16'	CLSS25	25'

### **FOLDING CLOTHES AIRER**



- · Strong, lightweight aluminium frame
- · Tri-leg design for maximum stability
- · Collapsible for easy transportation
- · Carry bag & ground pegs included **Dimensions:**

Line width, diagonal: 150cm x 150cm

Leg width: 96cm

CD2

Assembled height: I40cm - I45cm

### **PEGLESS CLOTHESLINE**



- · Innovative Australian Made clothesline eliminates the need for pegs
- · Quick set-up, extends to 2m or folds neatly

### Includes:

- I x 2.00m clothesline
- 2 x 550mm heat sealed cord
- I x stainless steel spring
- I x Ezyclip tensioner

# **CARAVAN STEPS**

### PLASTIC FIXED CARAVAN STEP



NAME OF STREET

### STP2

- Durable plastic fixed step
- Weight Rating: 80kg

Dimensions: 345mm (d)  $\times 500$ mm (w)  $\times 230$ mm (h)

### **METAL CARAVAN STEP**



- Steel Frame with folding legs
- Non-slip base

STP3

• Weight Rating: I50kg

Dimensions: 300mm (d)  $\times$  480mm (w)  $\times$  220mm (h)

## HEAVY DUTY ADJUSTABLE STEP



## TWO STAGE STEP ALUMINIUM FRAME



## TWO STAGE FOLDING DOUBLE STEP



### STP4

- Steel Frame with folding legs
- Non-slip base
- Four stage height adjustment, to 220mm height
- Weight Rating: 300kg

Dimensions:

370mm (d)  $\times$  480mm (w)  $\times$  220mm (h)

### STP6

- Two stage step, folds flat
- Weight Rating: I 50kg Step dimensions:

 $350mm (w) \times 225mm (d)$ 

Height - overall: 380mm

Height - lower step: 180mm

### **DBSP**

- · Two stage step with zinc finish
- Weld on / bolt on
- Unit Weight: 11kg
- Weight Rating: I50kg

Dimensions:

Open: 750mm (I)  $\times$  535mm (w)  $\times$  180mm (h)

Closed: 300mm (I)  $\times$  535m (w)  $\times$  180mm (h)

## DELUXE CARAVAN STEPS

### SINGLE DELUXE CARAVAN STEP

### **DOUBLE DELUXE CARAVAN STEP**





### **STPII**

• Single step Dimensions: 470mm (d) x 450mm (w) x 240mm (h)

### STP12

Double step

Dimensions: 740mm (d)  $\times$  450mm (w)  $\times$  390mm (h)

• Collapsed: 630mm (d)

### **OPTIONAL HANDRAILTO SUIT STP12**



### STP12HR

 Can be fitted on left-hand side or right-hand side Dimensions: 610mm (w) x 180cm(h)
 Collapsed width: 630mm





Optional handrail with adjustable leg height for user stability

9

- Extra-wide floor plates for even pressure distribution
- Sliding system for saving space and easy transportation
- Weight Rating: 200kg

## **COLLAPSIBLE FOOD STORAGE & PREP**

121 x4 2/ 1/2 / 1/2/2/



### **ROUND CONTAINERS**



### CLP<sub>6</sub>

- · Round, set of four
- · Dishwasher safe
- Collapsed height: I20mm stacked Collapsed height: I20mm stacked

### Dimensions:

400mL - 120mm (dia.) x 64mm (h) 600mL - 140mm (dia.) x 64mm (h) 880mL - 160mm (dia.) x 69mm (h)  $1250mL - 190mm (dia.) \times 74mm (h)$ 

### **RECTANGLE CONTAINERS**



### CLP<sub>12</sub>

- · Rectangular, set of four
- Dishwasher safe

### Dimensions:

350mL - 83mm (d) x 118mm (w) x 64mm (h)  $540mL - 93mm (d) \times 151mm (w) \times 64mm (h)$  $800mL - 107mm (d) \times 172mm (w) \times 64mm (h)$  $1200mL - 122mm (d) \times 210mm (w) \times 74mm (h)$ 

### **RECTANGLE CONTAINERS**



### CLP21

- · Rectangular, set of two
- · Dishwasher safe
- · Collapsed height: I00mm stacked

### Dimensions:

 $1500mL - 140mm (d) \times 230mm (w) \times 70mm (h)$ 1800mL - 160mm (d) x 250mm (w) x 70mm (h)

### **COLANDER**



### CLP5

· Collapsed height: 40mm Dimensions: Handle to tip: 360mm

Bowl: 230mm dia. x 95mm (h)

### **CUTTING BOARD & COLANDER**



### CLP23

- · Multi-use design with sliding board
- Collapsed height: 45mm

Dimensions:

235mm (d)  $\times$  460mm (w)  $\times$  130mm (h)

## **COLANDER**



### CLP29 - Blue

- CLP30 Grey
- Dishwasher safe
- Fits into 1.5L saucepan
- · Collapsed height: 35mm Dimensions:

200mm dia. x 85mm (h)

### **DISH DRAINER**



### **CLPI**

· Collapsed height: 50mm Dimensions:  $315mm (d) \times 365mm (w) \times 125mm(h)$ 

### **ROUND BOWL**



### CLP2

 Collapsed height: 50mm Dimensions: 380mm dia. x 160mm (h) Dimensions:

### **SHOPPING BASKET**



### CLP9

 Collapsed height: 50mm 285mm (d)  $\times$  380mm (w)  $\times$  140mm (h)

## **COLLAPSIBLE COOKWARE**

### **COLLAPSIBLE SAUCEPANS**

- Collapsible, dishwasher-safe cookware for use on stovetop, hob or cooker
- · Anti-slip edge lid design
- Made from stainless steel, silicone and glass Note: Not suitable for induction cooktops

### **BLUE**

### CLPI3 IL

Inside dimensions: I 60mm (dia.)  $\times$  90mm (h) (open) Collapsed height: 50mm

### **CLP14 1.5L**

Inside dimensions: 200mm (dia.) x 85mm (open) Collapsed height: 50mm

### CLP153L

Inside dimensions: 240mm (dia.) x 125mm (open) Collapsed height: 50mm



### **GREY**

### CLPI6 IL

Inside dimensions: 160mm (dia.) x 90mm (open) Collapsed height: 50mm

### **CLP17 1.5L**

Inside dimensions: 200mm (dia.) x 85mm (open) Collapsed height: 50mm

### CLPI8 3L

Inside dimensions: 240mm (dia.) x 125mm (open) Collapsed height: 50mm

### **COLLAPSIBLE KETTLES**

- · Collapsible, dishwasher-safe kettle for use on stovetop, hob or cooker
- Made from stainless steel silicone + PA



### **BLUE**

### **CLP19 1.2L**

Size: 70mm (d) x 195mm (w) x 225mm (h) Collapsed height: 50mm



### **GREY**

### **CLP20 1.2L**

Size: 70mm (d)  $\times$  195mm (w)  $\times$  225mm (h) Collapsed height: 50mm

### **COLLAPSIBLE FRYPANS**

- · Collapsible frying pans for use on stovetop, hob or cooker
- Non-stick stainless steel surface with folding handle

Note: Not suitable for induction cooking



### **BLUE**

### CLP31

Dimensions: 240mm (dia.) x 85mm (open) Collapsed height: 58mm



### **GREY**

### CLP32

Dimensions: 240mm (dia.) x 85mm (open) Collapsed height: 58mm

П

## **COLLAPSIBLE TUBS & LAUNDRY BASKETS**

### **RECTANGLE TUBWITH HANDLE**

NORMAN Y STATE OF THE STATE OF



CLP27

Collapsed height: 60mm

Dimensions: 230mm (d) x 320mm (w) x 205mm (h)

### **SMALL RECTANGLE DISH**



CLP3

Collapsed height: 50mm

Dimensions: 270mm (d)  $\times$  370mm (w)  $\times$  120mm (h)

### **LARGE TUBWITH LID**

### MEDIUM TUBWITH LID WASH TUB / SINK



CLP25 Collapsed height: 50mm

 $\times$  270mm (h)



CLP24

Collapsed height: 50mm  $\times$  230mm (h)



CLP7

Collapsed height: 50mm

Dimensions: 470mm (d) x 670mm (w) Dimensions: 305mm (d) x 470mm (w) Dimensions: 300mm (d) x 320mm (w)

x 175mm (h)

### **ROUND BUCKET**

### **LAUNDRY BASKET**



CLP4

• Capacity: I0L

Collapsed height: 50mm

Dimensions: 330mm dia. x 250mm (h)



CLP22

Collapsed height: 65mm

 $\times$  275mm (h)

### **LARGE LAUNDRY BASKET**



### CLP28

Collapsed height: 85mm Dimensions: 380mm (d) x 650mm (w) Dimensions: 460mm (d) x 610mm (w) x 270mm (h)

# **CARAVAN ANNEXE MATTING**

### CARAVAN ANNEXE MATTING

Premium quality, heavy duty annexe matting for use under caravan and camper trailer annexes. The design provides comfort underfoot and allows sand and dirt to fall through whilst ensuring minimal damage to grass underneath.

- Low maintenance; shake and wipe clean
- · Non-slip, UV resistant design
- · Mould and mildew resistant
- Includes carry bag

### **ROLL**

FCI 2.5m x 30m Roll

### **CUT SIZES**

**FC2**  $2.50m (w) \times 3.00m (l)$ 

**FC3** 2.50m (w)  $\times 3.50m$  (l)

**FC4** 2.50m (w) x 4.00m (l)

**FC5**  $2.50m (w) \times 4.50m (l)$ 

**FC6**  $2.50 \text{m} \text{ (w)} \times 5.00 \text{m} \text{ (l)}$ 

**FC7** 2.50m (w)  $\times 5.50m$  (l)

**FC8** 2.50m (w)  $\times 6.00m$  (l)

**FC9** 2.50m (w)  $\times 7.00m$  (l)



### **SUREMAT**

The ultimate, multi-purpose matting for caravanning, annexe flooring and campsite covering. SureMat is fabricated with a superior, dynamic weave and manufactured with strong, lightweight material, with anti-slipping properties.

- · Can be used with or without peg fastening
- Easy care and low maintenance, simply shake off dirt and wipe clean if necessary
- · Environmentally friendly with innovative, breathable design allowing grass to thrive underneath
- UV resistant
- · Mould and mildew resistant
- · Includes tent pegs and carry bag

**SMAT3**  $2.45 \text{m} \times 3.00 \text{m}$ 

**SMAT4** 2.45m x 4.00m

**SMAT5** 2.45m x 5.00m

**SMAT6** 2.45m x 6.00m



ARE ENVIR



UV RESISTANT





13

## **CARAVAN ACCESSORIES**


### **FIRST AID KIT**



### **FIAIK**

- · Includes the essentials for treating minor injuries
- Contained in a reinforced fabric bag suited to various environments
- Protection against water and dust
   Dimensions: 90mm (d) x 140mm (w) x 110mm (h)

### **MAGAZINE HOLDER**



### **MGZH**

- Storage solution for magazines and books
- Fastens onto the back of RV shelving
- Plastic frame with 5mm dia. elastic rope
- Screws included

Dimensions: 355mm (w) x 185mm (h)

### **SINK HAND PUMP**

### SHPI

- Manual pump for RV's
- Double action operation for water on up and down strokes
- Self priming, releases water at any time
- Manufactured from corrosion resistant nylon with polyurethane interior seals and an anodised aluminium barrel
- Includes bonus repair kit

### **PURETEC INLINE CARAVAN FILTER**

### SRCR20

- Portable caravan inline water filter with brass hose connectors
- Easily connects to your caravan or motor home
- Incorporates carbon filtration with SilverPlus<sup>™</sup> antibacterial technology
- Inhibits bacteria growth and removes unwanted taste, odours and chemicals



### **Specifications:**

Rating: I micron

Dimensions: 70mm dia. x 300mm (h)

Connection: garden hose 1/2"

Min/max hose flow: 0 - 20 litres per minute

Min/max temperature: 2-38° Min/max pressure: 200 - 860 kPa



Pump extends 97mm above bench top Spout extends 140mm from centreline of pump Maximum bench thickness - 25mm Bench top to hose fitting distance - 185mm

### **CARAVAN SINK PLUG**

### SRCSP25

- Made from soft rubber
- 25mm dia.

### SRCSP25P

· Hang sell pack



### T LEVEL

### CLI

 Made from UV resistant high impact plastic Dimensions:

60mm (I) x 45mm (w) x 15mm (d)



## **CARAVAN ACCESSORIES**

### **POLE HOLDER/CARRIER**



- Heavy duty plastic pole carrier for tent poles, anti-flap kits and fishing rods
- Easily lockable on both ends; remove the Quik clips and add padlocks
- Can be fitted to vehicle roof rack
- · Mounting brackets included
- Made from UPVC
- Four sizes available







PC220 suitable for assembled anti-flap kit

PC160

PC180

• 150mm dia. x 1.6m (l)

• 150mm dia. x 1.8m (l)

**PC200** 

• 150mm dia. x 2.0m (l)

PC220

• 150mm dia. x 2.2m (l)

### **MOUNTING BRACKETS**

### **PCMBS**

- Mounting brackets for pole carrier
- Comes ready to bolt on to 100mm or 150mm chassis of caravan or camper trailer
- Suits 150mm dia. tubing
- Made from zinc plated steel
- · Sold as a pair



### POPTOP SUPPORT BAR DISPLAY BOX

### **PTSDB**

- Cardboard display box
- Includes 14 x 50cm Pop Top supports





### **POPTOP SUPPORT BAR**



POPTOP SUPPORT BAR - JAYCO



15

PTS 22-25mm dia x 1.2WT white finish - max. 50cm PTS2 22-25mm dia x 1.2WT white finish - max. 60cm

PTSJ • Rubber caps either end

 Specifically designed to suit Jayco pop top Dimensions: 22mm dia. x 1200mm (I)

# RV & TRAILER HARDWARE

Jockey Wheels	16
Adjustable Stands & Accessories	18
Adjustable Legs & Accessories	19
Jockey Wheel Accessories	20
Trailer Accessories	21
Gas Bottle & Jerry Can Holders	22
Adjustable Gas Bottle & Jerry Can Holders	23

## JOCKEY WHEELS

### **ECONOMY JOCKEY WHEEL**

### **JWIE**

- Solid rubber wheel with nylon web bore
- Includes Clamp
- Unit Weight: 5.2kg
- Static Load Capacity: 500kg

Dimensions:

Wheel - 150mm  $\times$  50mm  $(6" \times 2")$ 

Lift - 225mm



## ECONOMY SWIVEL JOCKEY WHEEL

### JW2E

- Solid rubber wheel with nylon web bore
- With pin locking swivel bracket welded in position
- Unit Weight: 6.0kg
- Static Load Capacity: 350kg

Dimensions:

Wheel - I50mm x 50mm

 $(6" \times 2")$ 

Lift - 225mm



## MEDIUM JOCKEY WHEEL

### JW4Z

- Rubber tyre with zinc plated steel centre and roller bearings
- · Includes clamp
- Unit Weight: 6.6kg
- Static Load Capacity: 750kg Dimensions:

Wheel - 200mm x 55mm (8" x 2")

Lift - 225mm



## EXTRA HEIGHT JOCKEY WHEEL

### **JWIEH**

- Solid rubber wheel with nylon web bore
- Includes Clamp
- Unit Weight: 6.2kg
- Static Load Capacity: 500kg

Dimensions:

Wheel - I50mm x 50mm (6" x 2")

Lift - 225mm

## ECONOMY SWIVEL JOCKEY WHEEL

### **IW2UBE**

- Solid rubber wheel with nylon web bore
- With pin locking swivel bracket welded in position
- For fixing with U-Bolts
- (suits 2", 3", 4", 5" & 6" U-Bolts)
- Unit Weight: 6.2kg
- Static Load Capacity: 350kg

Dimensions:

Wheel - 150mm x 50mm (6" x 2")

Lift - 225mm

## EXTRA HEIGHT JOCKEY WHEEL

### JW4ZEH

- Rubber tyre with zinc plated steel centre and roller bearings
- Includes clamp
- Unit Weight: 8.5kg
- Static Load Capacity: 700kg

Dimensions:

Wheel - 200mm x 55mm (8" x 2")

Lift - 225mm





# JOCKEY WHEELS

## MEDIUM SWIVEL JOCKEY WHEEL

### **JW4ZUB**

- Rubber tyre with zinc plated steel centre and roller bearings
- With pin locking swivel bracket welded in position
- For fixing with U-Bolts (suits 2", 3", 4", 5" & 6" U-Bolts)
- Unit Weight: 9.6kg
- Static Load Capacity: 750kg

Dimensions: Wheel - 200mm x 55mm

(8" x 2")

Lift - 225mm



## EXTRA HEIGHT JOCKEY WHEEL

### **JW9EHD**

- Solid cushion tyre with steel centre and bronze bush bore
- 'Pneumatic Look' solid rubber
- (Increased capacity) Includes H/D Clamp
- Unit Weight: 12.2kg
- Static Load Capacity: 850kg
   Dimensions:

Wheel - 4.10 / 3.50 x 4 (10")

Lift - 225mm



### STANDARD SWIVEL JOCKEY WHEEL

### JWSW-2

- Solid rubber with nylon web bore
- Side winding with pin locking swivel bracket welded in position
- Unit Weight: 7.5kg
- Static Load Capacity: 500kg Dimensions:

Wheel - 150mm x 50mm

 $(6" \times 2")$ 

Lift - 225mm



### **SWIVEL JOCKEY WHEEL**

### IW10S

- Solid cushion tyre with steel centre and bronze bush bore
- 'Pneumatic Look' solid rubber
- With pin locking swivel bracket welded in position
- Unit Weight: 11.1kg
- Static Load Capacity: 850kg Dimensions:

Wheel - 4.10 / 3.50 x 4 (10") Lift - 225mm



### **EXTRA HEIGHT JOCKEY WHEEL**

### **JWSW-4ZEH**

- Rubber tyre with zinc plated steel centre and roller bearings
- · Side winding; includes clamp
- Unit Weight: 8.6kg
- Static Load Capacity: 700kg Dimensions:

Wheel - 200mm x 55mm

 $(8" \times 2")$ 

Lift - 225mm



## RATCHET DRIVEN SOLID RUBBER JOCKEYWHEEL

### **EMISP**

- Solid cushion tyre with steel centre and bronze bush bore
- With pin locking swivel bracket welded in position
- Unit Weight: 16.5kg
- Static Load Capacity: 750kg Dimensions:

Wheel - 4.10 / 3.50 x 4 (10") Lift - 225mm



17

## **ADJUSTABLE STANDS & ACCESSORIES**

## HEAVY DUTY ADJUSTABLE STAND

### **ASSW-DL**

- Side winding with drop leg
- Lift: 350mm
- Unit Weight: 11.8kg
- Static Load Capacity: 1500kg

Dimensions:

Outer Tube - 70mm x 70mm x 4mm Inner Tube - 60mm x 60mm x 4mm Drop Leg - 50mm x 50mm x 3mm




### **HEAVY DUTY ADJUSTABLE STAND**

- WITH LOOSE HANDLE

### **ASSW-DLLH**

 As ASSW-DL with loose handle



## MEDIUM DUTY ADJUSTABLE STAND

### ASSW1.4M

- Side winding with loose handle
- Lift: 350mm
- Unit Weight: 15.5kg
- Static load capacity: 1000kg



## STANDARD ADJUSTABLE STAND

### AS20LB

- With pin locking swivel bracket
- Bracket supplied loose
- Lift: 225mm
- Unit Weight: 6.7kg
- Static Load Capacity: 650kg



## MOUNTING TUBES (SWIVEL) FOR ADJUSTABLE STANDS

### **AS-MT**

- Unit Weight: 0.9kg
- Static Load Capacity: 1000kg



### **P SERIES HANDLE**

### LH<sub>2</sub>P

- Slotted type
- Length: 700mm
- Weight: 680g

### LH2PD

- Slotted type
- Drill Style
- Length: 570mm
- Weight: 500g

### ADJUSTABLE LEG

### **ALRP5**

- Weld on
- Rear with wheel
- Power thread, slotted type handle fitment
- Unit Weight: 3.5kg
- Length: 500mm

### **ADJUSTABLE LEG**

### **ALFP6**

- Weld on
- Front no wheel
- · Power thread, slotted type handle fitment
- Unit Weight: 3.6kg
- Length: 600mm.

## HANDLETO SUIT ADJUSTABLE LEG



### LH2M

- Hex head type
- · Length: 700mm
- Weight: 840g

### LH2MD

- Hex head type
- Drill style
- Length: 590mm
- Weight: 600g

## **ADJUSTABLE LEGS & ACCESSORIES**

### **SML. ADJUSTABLE LEG**

WITH PLASTIC COVERED FOOT

### MED. ADJUSTABLE LEG

WITH PLASTIC COVERED FOOT

### LRG. ADJUSTABLE LEG

WITH PLASTIC COVERED FOOT



### **ALORI**

- · Weld on
- Unit Weight: 4.7kg
- Height 400mm; Lift 120mm



### ALOR2

- Weld on
- Unit Weight: 5.1kg
- Height 460mm; Lift 180mm



### **ALOR3**

- Weld on
- Unit Weight: 5.7kg
- Height 520mm; Lift 140mm

### **ADJUSTABLE LEG**

WITH ALUMINIUM FOOT AS PERALORI

WITH ALUMINIUM FOOT AS PER ALOR2

### ADJUSTABLE LEG ADJUSTABLE LEG

WITH ALUMINIUM FOOT AS PER ALQR3

### **ADJUSTABLE LEG**

WITH H/D LARGE STEEL **FOOT** 



### **ALQRI-AF**

- Unit Weight: 4.7kg
- Height 400mm
- Lift 120mm



### **ALQR2-AF**

- Unit Weight: 5.1kg
- Height 460mm
- Lift 180mm



### **ALQR3-AF**

- Unit Weight: 5.7kg
- Height 520mm
- Lift 140mm



- **ALQR4LP** Weld on
- Unit Weight: 6.2kg
- Height 620mm
- Lift 180mm

### PINTO SUIT REPLACEMENT FOOT





### **ALORPS**

• Small pin to suit plastic covered feet

### **ALQRPL**

· Large pin to suit aluminium feet

## **CARAVAN JACK PAD**

### SRWJ

· Four piece set Dimensions:  $180 \times 140 \times 50 \text{mm}$ 



### PLASTIC COVERED FOOT

### **ALQRPF**

Suits ALQR leg



### **ALUMINIUM FOOT**

### **ALORAF**

Suits ALQR leg



## **CARAVAN JACK PAD STACKER**

### **SRWJP**

• Four piece set Dimensions: 150mm x 150mm x 40mm



## JOCKEY WHEEL ACCESSORIES

### **RUBBERWHEEL HOLDER**



### **RWH**

- Support cradle for use under jockey wheel for 6" and 8" wheels
- Unit Weight: 0.55kg

Dimensions:  $170mm (l) \times 130mm (w) \times 40mm (h)$ 

### **CLAMP**



### **JWCLI**

- · Clamp for jockey wheel
- Suits up to 50mm dia. shank

### **SOLID RUBBER WHEEL - 6"**



### **JWSRW**

- Suits standard jockey wheel
- Unit Weight: 0.97kg

Dimensions: I50mm (dia.) with I3mm nylon web bore

### LARGE JOCKEY WHEEL HOLDER



### **SRWJCH**

• Can be pegged to the ground Dimensions: 204mm (dia.) x 35mm (h)

### **HANDLE ROLL PIN**



### **JWHRP**

- Suits most standard jockey wheels
- Unit Weight: 0.24kg

### **RUBBERTYRE - 8"**




### RT

- Zinc steel centre finish
- 16mm roller bearing

## **TRAILER ACCESSORIES**

### **CARAVAN STOWING WHEELS**



### Dimensions:

- Width II0mm
- External dia. 405mm
- Internal dia. 310mm
- Fits over 305mm dia. brake drum



### CSW<sub>5</sub>

- · Five stud pattern
- Suits Landcruiser, Ford and Holden



### CSW<sub>6</sub>

- Six stud pattern
- Suits Landcruiser, Ford and Holden

### **A TYPE BEARING SET / SEAL**



### **B TYPE BEARING SET /** SEAL



### TWIN COUPLING LOCK -WITH PADLOCK



### **MLMAJ** (Japanese)

- Equivalent to Holden car bearings
- · Includes large bearing, small bearing, · Equivalent to Ford car bearings large cup and large cone
- Includes A type seal

### **MLMBJ** (Japanese)

- · Slimline or heavy duty bearings
- Includes large bearing, small bearing, Unit weight: I.86kg large cup and large cone
- Includes B type seal

### **TCL**

- Twin coupling lock complete with 38mm brass padlock

### **BOW SHACKLES**

### **BSHI**

- 1000kg WLL rated
- ADR Approved
- 10mm

### BSH<sub>2</sub>

- 1500kg WLL rated
- ADR Approved
- IImm

### BSH<sub>3</sub>

- 2000kg WLL rated
- ADR Approved
- 13mm



### **D-SHACKLES**

### DSI

- 1000kg WLL rated
- ADR Approved
- 10mm

### DS<sub>2</sub>

- 1500kg WLL rated
- ADR Approved
- IImm

### DS<sub>3</sub>

- 2000kg WLL rated
- ADR Approved
- 13mm



## GAS BOTTLE & JERRY CAN HOLDERS

## SMALL GAS BOTTLE HOLDER



### **GBHDS**

- Suits: 4.0kg 4.5kg gas bottle
- Zinc plated finish
- · Weld on style
- Unit Weight: 1.4kg

## MEDIUM GAS BOTTLE HOLDER



### **GBHDM**

- Suits 5.0kg 'squat' gas bottle
- Zinc plated finish
- · Weld on style
- Unit Weight: 1.47kg

## LARGE GAS BOTTLE HOLDER



### **GBHDL**

- Suits 9.0kg gas bottle
- Zinc plated finish
- Weld on style
- Unit Weight: I.6kg

### **JERRY CAN HOLDER**



### **JCHD**

- · Zinc plated finish
- Weld on style / metal strap
- Unit Weight: 3.0kg Inside Dimensions:

180mm (d)  $\times$  370mm (w)  $\times$  295mm (h)

### **JERRY CAN HOLDER**

- FRONT OPENING



### **JCHDO**

- Zinc plated finish
- Weld on style / Metal strap
- Unit Weight: 3.4kg

Inside Dimensions:

 $370mm (w) \times 180mm (d) \times 295mm (h)$ 

# ADJUSTABLE GAS BOTTLE HOLDERS

## GAS BOTTLE HOLDER - SMALL, ADJUSTABLE

## GAS BOTTLE HOLDER - LARGE, ADJUSTABLE

### **RUBBER RING**

- TO SUIT GAS BOTTLE HOLDER







### **AGBHS**

- Suits 4.0kg gas bottle
- Zinc plated finish
- · Mount brackets for weld on
- Galvanised holder bolted to brackets for easy replacement
- Fully adjustable and lockable
- Unit Weight: I.86kg

### **AGBHL**

- Suits 9.0kg gas bottle
- Zinc plated finish
- · Mount brackets for weld on
- Galvanised holder bolted to brackets for easy replacement
- Fully adjustable and lockable
- Unit Weight: 2.36kg

### **AGBHS-RR** - SMALL **AGBHL-RR** - LARGE

- Place around metal ring of Gas Bottle Holder to prevent chafing and wear & tear
- 100% rubber ring, black
- · Available to suit sizes small and large

23

\*Please Note: Gas Bottle Holder not included

## SMALL GAS BOTTLE HOLDER ADJUSTABLE - FRONT OPENING

## LARGE GAS BOTTLE HOLDER ADJUSTABLE - FRONT OPENING





### **AGBHSO**

- Suits: 4.0kg gas bottle
- · Weld on style
- Unit Weight: I.86kg

### **AGBHLO**

- Suits: 9.0kg gas bottle
- · Description:Weld on
- Unit Weight: 2.0kg

# GARAWANI AWMING

Anti-Flap Kit	24
Anti-Flap Kit Spare Parts	24
Curved Roof Rafter	25
Caravan Awning Accessories	26
12V Caravan Awning Accessories	27
Privacy Screens	28

## **ANTI-FLAP KIT & SPARE PARTS**

### **AUSSIETRAVELLER ANTI-FLAP KIT**

Aussie Traveller's patented Anti Flap Kit offers a wind and waterproof method to attach walls to your awning.

Supplied in pairs

### **WHITE**

### **SAFKS**

- Small white anti-flap kit
- Extendable length: 210cm 220cm

### **SAFKM**

- · Medium white anti-flap kit
- Extendable length: 220cm 230cm

### **SAFKL**

- Large white anti-flap kit
- Extendable length: 230cm 240cm

### **BLACK**

### **SAFKSB**

- Small black anti-flap kit
- Extendable length: 210cm 220cm

### **SAFKMB**

- Medium black anti-flap kit
- Extendable length: 220cm 230cm

### **SAFKLB**

- · Large black anti-flap kit
- Extendable length: 230cm 240cm



### **ANTI-FLAP KIT SPARE PARTS**

### **AFKB**

 Stainless steel pole support bracket



### **AFKRRB**

Stainless steel roof rail bracket & two screws



## • End ex

- End extension for Thule awnings
- · Size: I00mm



### **AFKRRE**

Stainless steel roof rail end



### **AFKSE**

 Stainless steel spigot end



### **AFKTB**

 Black plastic turning knob with stainless steel T-nut



## **CURVED ROOF RAFTERS & SPARE PARTS**



### **CURVED ROOF RAFTER - POWDERCOATED ALUMINIUM - WHITE**



**563V** – Slight curve, max. 243cm (8') **563VA** – Acute curve, max. 243cm (8')

### **CURVED ROOF RAFTER - POWDERCOATED ALUMINIUM - BLACK**



**563VB** – Slight curve, powder coated, max. 243cm (8') **563VAB** – Acute curve, powder coated, max. 243cm (8')

### **CURVED ROOF RAFTER FITTINGS**

### 563RE

· Roof rafter end



### 563SP

 Stainless steel spigot tip in moulded black plastic base



### 563TS

T-Nut and thumbscrew



25

## CARAVAN AWNING ACCESSORIES

### **AWNING TENSIONER / DE-FLAPPER**

- Awning tensioner/de-flapper to secure a roll out awning
- Uses velcro straps to strengthen awning security and reduce flapping and wind damage
- · Additional strap included for pop top caravans



### **SRDFI**

- Large de-flapper, single pack
- Clamp width: 203mm

### **AWNING BRACKET**



### **38AB**

- · Pole clip for roll out awnings
- Suits 6mm sail track

### **AWNING ROPE CLIPS**



### **ARC**

- Caravan awning rope clips to fit Dometic (A&E), Carefree and Aussie Traveller awnings
- · Made from stainless steel
- Pack of 2



### SRDF2

- Small de-flapper, 2 pack
- · Clamp width: 50mm

### **CARAVAN AWNING SAFETY STRAPS**



### **CASS**

- · Caravan awning safety straps
- · Velcro safety straps used to secure caravan awning arms whilst travelling
- Pack of 2

### **AWNING ROPE CLIP PACK**



### **ARCPK**

- Basic awning set up rope clip pack Contains:
- Two guy ropes
- · Two awning rope clips
- Two tent pegs

## 12V CARAVAN AWNING ACCESSORIES

### **AWNING ROPE CRADLE PAIR**



### **ARCV**

- Awning cradles to suit Carefree 12V roll out awning
- Pack of 2

### **AWNING ROPE CRADLE BOX PACK**



### **ARCVP**

- Basic set up cradle pack
- To suit Carefree 12V roll-out awning Contains:
- Two cradles, two ground plates, two guy ropes, six tent pegs

## **AWNING ROPE CRADLE POLE PACK**-WHITE



### **ARCVPP**

- Complete set up cradle pack
- To suit Carefree I2V roll out awning Contains:
- Two cradles
- · Two ground plates
- · Two guy ropes
- · Six tent pegs
- Two 9ft white aluminium poles

## AWNING ROPE CRADLE POLE PACK



### **ARCVPPB**

- Complete set up cradle pack
- To suit Carefree 12V roll out awning Contains:
- Two cradles
- · Two ground plates
- Two guy ropes
- Six tent pegs
- Two 9ft black aluminium poles

27

## PRIVACY SCREENS INCLUDING FIAMMA

### **PRIVACY SCREEN** - LONG WALL

- Long wall privacy screen made to suit the Australian outdoor environment
- Shade rating: 95%
- Made from 199GSM fabric
- Exclusive to Supex Products
- Four year warranty
- Includes guy ropes, tent pegs, D-rings

### **GREY**

CODE	SIZE	<b>SUITS A</b>
SRPS28	$2.80 \text{m} (l) \times 1.80 \text{m} (h)$	10 foot
SRPS34	$3.40m (l) \times 1.80m (h)$	12 foot
SRPS37	$3.70m (l) \times 1.80m (h)$	13 foot
SRPS40	$4.00m (l) \times 1.80m (h)$	14 foot
SRPS42	$4.26m (l) \times 1.80m (h)$	15 foot
SRPS46	$4.60m (l) \times 1.80m (h)$	<pre>16 foot</pre>
SRPS48	$4.87m (l) \times 1.80m (h)$	17 foot
SRPS52	$5.20m (l) \times 1.80m (h)$	18 foot
SRPS55	$5.50m (l) \times 1.80m (h)$	19 foot

### **BLACK**

CODE	SIZE	SUITS
SRPS28B	$2.80m (l) \times 1.80m (h)$	10 foot
SRPS34B	$3.40m (l) \times 1.80m (h)$	12 foot
SRPS37B	$3.70m (l) \times 1.80m (h)$	13 foot
SRPS40B	$4.00m (l) \times 1.80m (h)$	14 foot
SRPS42B	$4.26m (l) \times 1.80m (h)$	15 foot
SRPS46B	$4.60m (l) \times 1.80m (h)$	<pre>16 foot</pre>
SRPS48B	$4.87m (l) \times 1.80m (h)$	17 foot
SRPS52B	$5.20m (l) \times 1.80m (h)$	18 foot
SRPS55B	$5.50m (l) \times 1.80m (h)$	19 foot



### FIAMMA PRIVACY SCREEN - LONG WALL

- · Privacy screen long wall for Fiamma awning
- Spline; 4mm

**SRPSF28**  $2.85 \,\mathrm{m} \times 1.80 \,\mathrm{m}$  (to suit the 3.00m Fiamma F45 awning) **SRPSF33**  $3.35 \,\mathrm{m} \times 1.80 \,\mathrm{m}$  (to suit the 3.50m Fiamma F45 awning) **SRPSF38**  $3.85 \,\mathrm{m} \times 1.80 \,\mathrm{m}$  (to suit the 4.00m Fiamma F45 awning)

### FIAMMA PRIVACY SCREEN - END WALL

CAEPSF • Privacy screen end wall for Fiamma awning

• Spline: 4mm



## **PRIVACY SCREENS**

### **PRIVACY SCREEN** - FND WALL

- End wall privacy screen made to suit the Australian outdoor environment
- Shade rating: 95%
- Made from 199GSM fabric
- Exclusive to Supex Products
- Four year warranty
- Includes guy ropes, tent pegs and D-rings

### **CARAVAN**

### **CAEPS**

 Grey, sloping top Dimensions:

1.90 m (w) x 2.35 m (high end) x 2.09 m (low end)

### **CAEPSB**

• As above, in black fabric

### **POPTOP**

### **PTAEPS**

• Grey, rectangular Dimensions:  $2.05m (w) \times 1.85m (h)$ 

### **PTAEPSB**

**SCREEN** 

· As above, in black fabric

**CARAVAN FRIDGE** 

### **PRIVACY SCREEN TIE DOWN KIT**




- · Shades caravan fridge vents to assist performance
- Includes pegs and ropes

### **SRFS**

Screen 810mm (w) x 1830mm (h)

### **SRFSST**

Screen with sail track included



- CAM I
- Bungee cords x 5

Provides tension

• Tent pegs x 5

Peg dimensions:

6.3mm (dia.)  $\times$  225mm (h)

### **DISPLAY CARTON**



Grey

Black

- Cardboard display box for privacy screens
- · Fits three long wall privacy screens
- OR four end wall privacy screens
- · Available free of charge with any order of privacy screens

29



## **TOILET CHEMICAL SACHETS**

### PORTA PAK FRESH SCENT



### WLI

- Odour prevention
- Biodegradable
- · Formaldehyde free
- Pack of 15 sachets

## PORTA PAK TROPICAL BREEZE



### WL4

- · Removes odours
- · Biocide and formaldehyde free
- · Safe for septic tanks
- Pack of 15 sachets

### PORTA PAK LAVENDER BREEZE



### WL2

- Odour prevention
- Biodegradable
- · Formaldehyde free
- Pack of 15 sachets

## PORTA PAK COMMANDO



### WL5

- · Lubricates valves & seals
- Easy to use dissolvable packet
- Septic tank safe
- · Formaldehyde free
- Pack of 4 sachets

### PORTA PAK ALPINE FRESH



### WL3

- Removes odours
- · Biocide and formaldehyde free
- Safe for septic tanks
- Pack of 15 sachets

### PORTA PAK ELEMONATE



### WL6

- Cleans sensors inside grey tank
- · Dissolves rapidly
- Biodegradable
- Formaldehyde free
- Pack of 5 sachets

## **PORTABLE TOILET**

## **TOILET CHEMICAL LIQUID**

### **PORTABLE TOILET**

### PT15

- Pressure control valve and swivel spout for easy emptying
- Auto ventilation
- · Single flush nozzle
- Capacity: 15L fresh; 17L waste
- Weight: 3.8kg

Dimensions:

446mm (d)  $\times$  380mm (w)  $\times$  367mm (h)



### **CAMP SOFT**

### **STICS**

- Rapidly dissolving toilet paper
- For all types of portable toilets
- Pack of 4 rolls



### **CAMP BLUE**



### **STCB**

- · High concentrate toilet liquid
- For use in the waste tank of all chemical toilets
- Contains: 2.5L

### **CAMP FLUSH**



### **STCF**

- Pleasant smelling toilet break down liquid
- For use in the flush tank of all chemical toilets
- Environmentally safe & biodegradable
- Contains: 2.5L

**STCG** 

- · High concentrate toilet liquid
- For use in the waste tank of all chemical toilets
- Environmentally safe & biodegradable

**CAMP GREEN** 

• Contains: 2.5L

### **STCBIL Camp Blue**

· Contains: IL

### **STCFIL Camp Flush**

**CASETTE TANK** 

• Contains: IL

### **STCGIL Camp Green**

· Contains: IL

### WATERTANK CLEANER



### **SWC**

- Environmentally friendly concentrate for caravan pipes and water tanks
- · Clean limescale and deposits
- Contains: 500mL



### **SCTC**

- · High concentrate cleaning liquid
- For use in the waste tank of chemical and/or portable toilet
- Contains: 500mL



www.supex.com.au 31

ELECTRICAL & 12V	Caravan Leads Anode Electrical Accessories LED Lighting - Interior LED Lighting - Exterior	32 32 33 34 35

# PLUGS & SOCKETS CARAVAN LEADS ANODE

### **CARAVAN LEADS**



- · Heavy duty caravan extension lead
- 15amp plug

EL10 • 10m length

EL15 • 15m length

EL20 • 20m length

### **ANODE**





- Magnesium suburban anode
- Designed for suburban RV water heaters
   Dimensions: 21mm (dia.) x 300mm (l)

**ANDI** • Loose

**ANDIP** • Blister Pack

## **ELECTRICAL ACCESSORIES**

### **7 PIN FLAT SOCKET**



### **EA7FFM**

- · Circuits engraved into outer casing
- Seven pins rated at 15amps at 12V
- Suitable for I2V and 24V applications

### **7 PIN FLAT PLUG**



### **EAP7F**

- · Circuits engraved into outer casing
- Saddle device to secure wiring
- Seven pins rated at 15amps at 12V
- Suitable for I2V and 24V applications

### **HAIR DRYER**

### **HDYR**

- · Conveniently sized, compact hair dryer for travelling
- Hot and cool air options
- DC motor
- 12V car use voltage, 50Hz, 192W
- Includes 1.5m PVC cord



### HAIR STRAIGHTENER

### **HRST**

- · Convenient hair styling whilst on the road
- Straighten, curl and style
- Ceramic plate and PTC heater
- Rapid heating to max. 200°C
- · LED light indicates when ready for use
- 12V car use voltage



33

## LED LIGHTING INTERIOR

### **OYSTER LIGHT**



### **SRLEDI**

- Interior roof mount light, I2V
- · Body colour: white
- Cool white light, 6W

Dimensions: 260mm dia.

### **ULTRA SLIM LED LIGHT READING LIGHT**



### **SRLED5**

- · Opal panel light with switch
- · Body colour: white
- Dimensions: 127mm dia.



### SRLED2

- LED frosted glass swivel light
- Dimensions: 106mm (h)

### PROGRAMMED DUAL COLOUR READING LIGHT

### SRLED 15B

- · Crystal glass flexible light
- Dual colour cool white, blue
- 10-15V

Dimensions: 160mm (h)



### SRLED 15C

- Flexible task light
- Dual colour cool white, blue
- 10-15V

Dimensions: 139mm (h)



## MILKY ULTRA BRIGHT INTERNAL LED BAR LIGHT

### SRLED22

12V

Dimensions: 150mm (I) x 21mm (w) x 12mm (d)

### LED INTERNAL SWIVEL RAIL LIGHT



### SRLED19

- White polycarbonate shell
- 12V

Dimensions: 156mm (I)  $\times 27.5mm$  (w)  $\times 24.5mm$  (d)

### SRLED23

12V

Dimensions: 300mm (I) x 21mm (w) x 12mm (d)

### SRLED20

- White polycarbonate shell
- 12V

Dimensions: 298mm (I)  $\times$  27.5mm (w)  $\times$  24.5mm (d)

### SRLED24

12V

Dimensions: 450mm (I)  $\times 2$ Imm (w)  $\times 12$ mm (d)



### SRLED25

12V

Dimensions: 600mm (I) x 21mm (w) x 12mm (d)

### SRLED21

- White polycarbonate shell
- 12V

Dimensions: 460mm (I)  $\times$  27.5mm (w)  $\times$  24.5mm (d)

## LED LIGHTING EXTERIOR

## ORIGINAL BARGMAN STYLE LED LIGHT



SRLED6

- · Polycarbonate ABS plastic housing
- 35 LED lights
- Chrome

### **NUMBER PLATE LAMP**



### **SRLEDNPL**

Dimensions: 75mm (I)  $\times$  30mm (w)  $\times$  35mm (h)

### **LED EXTERNAL AWNING LIGHT - PC**



### **SRLED8W**

White

Dimensions: 250mm (I)  $\times$  40.5mm (w)  $\times$  30mm (h)



### SRLED9W

• White

Dimensions: 550mm (I)  $\times 40.5$ mm (w)  $\times 30$ mm (h)



### **SRLED8B**

Black

Dimensions: 250mm (I)  $\times$  40.5mm (w)  $\times$  30mm (h)



### **SRLED9B**

• Black

Dimensions: 550mm (I)  $\times$  40.5mm (w)  $\times$  30mm (h)

## LED LIGHTING

### CRL360 SERIES - SLIMLINE COMBINATION REAR LAMPS



### RL360DLEDB

- Single, INDICATOR
- 10-30V
- Black base

Dimensions: 400 x 46 x 15 mm

RL360DLEDC

- Single, INDICATOR
- 10-30V
- Chrome base

Dimensions: 400 x 46 x 15 mm

### **RL360SLEDB**

- Single, STOP/TAIL
- 10-30V
- Black base

Dimensions: 400 x 46 x 15 mm

### **RL360SLEDC**

- Single, STOP/TAIL
- 10-30V
- Chrome base

Dimensions: 400 x 46 x 15 mm



### **RL360RLEDB**

- Single, REVERSE
- 10-30V
- Black base

Dimensions: 400 x 46 x 15 mm

## **RL360RLEDC**

- Single, REVERSE
- 10-30V
- Chrome base

Dimensions: 400 x 46 x 15 mm



### **RL360SDLEDB**

- Single, STOP/TAIL/ **REVERSE**
- 10-30V
- · Black base

Dimensions: 400 x 46 x 15 mm

### **RL360SDLEDC**

- Single, STOP/TAIL/ **INDICATOR**
- 10-30V
- · Chrome base

Dimensions: 400 x 46 x 15 mm



### CRL360LEDB

- Combination, STOP/TAIL/ Combination, STOP/TAIL/ Combination, STOP/TAIL/ **INDICATOR**
- 10-30V
- Black base



### CRL360LEDC

- **INDICATOR**
- 10-30V
- · Chrome base



### **CRL360RLEDB**

- INDICATOR/REVERSE
- 10-30V
- Black base



### CRL360RLEDC

- INDICATOR/REVERSE
- 10-30V
- Chrome base

Dimensions: 400 x 82 x 15 mm

### **CRL260 SERIES - SLIMLINE COMBINATION REAR LAMPS**



### **RL260DLEDB**

- Single, INDICATOR
- 10-30V
- · Black base

Dimensions: 259 x 46 x 15 mm



### **RL260SLEDB**

- Single, STOP/TAIL
- 10-30V
- · Black base

Dimensions: 259 x 46 x 15 mm



### **RL260RLEDB**

- Single, REVERSE
- 10-30V
- Black base

Dimensions: 259 x 46 x 15 mm



### **CRL260LEDB**

- Combination, STOP/TAIL/ **INDICATOR**
- 10-30V
- Black Base

Dimensions: 259 x 82 x 15 mm



### **CRL260RLEDB**

- Combination, STOP/TAIL/ INDICATOR/REVERSE
- 10-30V
- Black base

Dimensions: 259 x 82 x 15 mm



### **RL260SDLEDB**

- Single, STOP/TAIL/INDICATOR
- 10-30V
- · Black base

Dimensions: 259 x 46 x 15 mm

# LED LIGHTING

### **CRL350 SERIES - COMBINATION REAR LAMPS**



### CRL350LED

- Black base



### CRL350LEDC

- Chrome base



### **CRL350CLEDB**

- STOP/TAIL/INDICATOR
   STOP/TAIL/INDICATOR
   STOP/TAIL/INDICATOR
  - Clear lens, black base



- Clear lens, chrome base

Dimensions: 445 x 155 x 40 mm Dimensions: 445 x 155 x 40 mm Dimensions: 445 x 155 x 40 mm



### CRL350RLED

- **REVERSE**
- · Black base



### **CRL350RLEDC**

- STOP/TAIL/INDICATOR/ STOP/TAIL/INDICATOR/ STOP/TAIL/INDICATOR/ **REVERSE** 
  - Chrome base

Dimensions: 445 x 155 x 40 mm Dimensions: 445 x 155 x 40 mm Dimensions: 445 x 155 x 40 mm



### **CRL350RCLEDB**

- **REVERSE**
- Clear lens, black base

### CRL350RCLEDC

- **REVERSE**
- Clear lens, chrome base

### SM8 SERIES - MARKER LAMPS - FRONT, SIDE, REAR



### FM8CLED

reflectors

Dimensions: 90 x 50 x 22 mm



### RM8RLED

• Clear LED front clearance lamp with • Red LED rear marker lamp with reflectors

Dimensions: 90 x 50 x 22 mm



### SM8ALED

 Amber LED side marker lamp with reflectors

Dimensions: 90 x 50 x 22 mm

### **SMI3 SERIES - MARKER LAMPS**

### **SMI3ALED**

- · Amber 'retrofit' LED marker
- Includes 0.5m cable

Dimensions: 120 x 64 x 32 mm



### SMI3RALED

- · Red/amber 'retrofit' LED side marker
- Includes 0.5m cable

Dimensions: 120 x 64 x 32 mm



### SM62 SERIES - MARKER LAMPS - FRONT, SIDE, REAR



### FM62CLED

- Clear LED front clearance Red/Amber side marker; marker; 9-33V
- Includes 0.5m cable Dimensions: 57 x 35 x 21 mm



### **SM62RALED**

- 9-33V
- Includes 0.5m cable Dimensions: 57 x 35 x 21 mm



### RM62RLED

- Red rear marker; 9-33V
- Includes 0.5m cable

Dimensions: 57 x 35 x 21 mm




### SM62ALED

- Amber side marker; 9-33V
- Includes 0.5m cable

Dimensions: 57 x 35 x 21 mm





# TENT POLES & BARS

Tent Poles	40
Spreader Bars	42
Roof Rails	43
Aluminium Poles	44
Aluminium Spreader Bars	45
Marquee Poles	45
Tent Pole Accessories	46
Tornado Tarps	48

# TENT POLES

### **TENT POLE-T NUT**

**564Ci** 19-22mm dia. x 0.9WT – max. 183cm (6') **564Di** 19-22mm dia. x 0.9WT – max. 228cm (7'6") **564Ei** 19-22mm dia. x 0.9WT – max. 274cm (9')



### **EXTENSION POLE-T NUT-HEAVY DUTY CAP**

564C 19-22mm dia. x 0.9WT – max. 183cm (6') 564D 19-22mm dia. x 0.9WT – max. 228cm (7'6") 564B 19-22mm dia. x 0.9WT – max. 243cm (8') 564E 19-22mm dia. x 0.9WT – max. 274cm (9') 564F 19-22mm dia. x 0.9WT – max. 305cm (10')



### **EXTENSION POLE-T NUT-CLIP | END**

**564DC** 19-22mm dia. x 0.9WT - max. 228cm (7'6") - clip end **564BC** 19-22mm dia. x 0.9WT - max. 243cm (8') - clip end **564EC** 19-22mm dia. x 0.9WT - max. 274cm (9') - clip end **564FC** 19-22mm dia. x 0.9WT - max. 305cm (10') - clip end



### **EXTENSION POLE-T NUT-SQUARE C-CLIP**

**564DSQC** 19-22mm dia. x 0.9WT – max. 228cm (7'6") - square clip end **564BSQC** 19-22mm dia. x 0.9WT – max. 243cm (8') - square clip end **564ESQC** 19-22mm dia. x 0.9WT – max. 274cm (9') - square clip end **564FSQC** 19-22mm dia. x 0.9WT – max. 305cm (10') - square clip end



### **3 PIECE EXTENSION POLE**

**564H** 19-22-25mm dia. x 0.9WT – max. 243cm (8') **564I** 19-22-25mm dia. x 0.9WT – max. 305cm (10') **564G** 19-22-25mm dia. x 0.9WT – max. 366cm (12')



# TENT POLES

### **EXTENSION POLE-T NUT-THREADED SPIGOT**



**564CT** 19-22mm dia. x 0.9WT - max. 183cm (6') - threaded spigot **564DT** 19-22mm dia. x 0.9WT - max. 228cm (7'6") - threaded spigot **564BT** 19-22mm dia. x 0.9WT - max. 243cm (8') - threaded spigot **564ET** 19-22mm dia. x 0.9WT - max. 274cm (9') - threaded spigot **564FT** 19-22mm dia. x 0.9WT - max. 305cm (10') - threaded spigot



### **SWAG POLE**



**564A** 16-19mm dia. x 0.9WT – max. 122cm (4')



### **EXTENSION POLE-T NUT-HEAVY DUTY**



**464D** 19-22mm dia. x 1.2WT – max. 228cm (7'6")

**464E** 19-22mm dia. x 1.2WT – max. 274cm (9')

**364D** 22-25mm dia. x 1.2WT – max. 228cm (7'6")

**364E** 22-25mm dia. x 1.2WT – max. 274cm (9')



### **EXTENSION POLE-T NUT-HEAVY DUTY SOLID SPIGOT**



**464DMS** 19-22mm dia. x 1.2WT – max. 228cm (7'6") - solid spigot **464EMS** 19-22mm dia. x 1.2WT – max. 274cm (9') - solid spigot **364DMS** 22-25mm dia. x 1.2WT – max. 228cm (7'6") - solid spigot **364EMS** 22-25mm dia. x 1.2WT – max. 274cm (9') - solid spigot



### **EXTENSION POLE - WELDED SPIGOT**



**564CWS** 19-22mm dia. x 0.9WT – max. 183cm (6') - solid welded metal spigot **564DWS** 19-22mm dia. x 0.9WT – max. 228cm (7'6") - solid welded metal spigot

**564BWS** 19-22mm dia. x 0.9WT – max. 223cm (7 6 ) - solid welded metal spigot

**564EWS** 19-22mm dia. x 0.9WT – max. 274cm (9') - solid welded metal spigot

**564FWS** 19-22mm dia. x 0.9WT – max. 305cm (10') - solid welded metal spigot



41

# SPREADER BARS

### **SPREADER BARS - T NUT - EYE BOTH ENDS**



**564K** 19-22mm dia. x 0.9WT – max. 122cm (4') - 2 piece **564L** 19-22mm dia. x 0.9WT – max. 152cm (5') - 2 piece **564M** 19-22mm dia. x 0.9WT – max. 183cm (6') - 2 piece **564N** 19-22mm dia. x 0.9WT – max. 213cm (7') - 2 piece **564O** 19-22mm dia. x 0.9WT – max. 243cm (8') - 2 piece **564P** 19-22mm dia. x 0.9WT – max. 274cm (9') - 2 piece **564Q** 19-22mm dia. x 0.9WT – max. 305cm (10') - 2 piece **564S** 22-25mm dia. x 1.2WT – max. 365cm (12') - 3 piece **564X** 22-25mm dia. x 1.2WT – max. 427cm (14') - 3 piece

**564Y** 22-25mm dia. x 1.2WT – max. 488cm (16') - 4 piece **564Z** 22-25mm dia. x 1.2WT – max. 548cm (18') - 4 piece



### SPREADER BARS - T NUT - CLIP | END



**564KC** 19-22mm dia. x 0.9WT – max. 122cm (4') - 2 piece, clip end **564LC** 19-22mm dia. x 0.9WT – max. 152cm (5') - 2 piece, clip end **564MC** 19-22mm dia. x 0.9WT – max. 183cm (6') - 2 piece, clip end **564NC** 19-22mm dia. x 0.9WT – max. 213cm (7') - 2 piece, clip end **564OC** 19-22mm dia. x 0.9WT – max. 243cm (8') - 2 piece, clip end **564PC** 19-22mm dia. x 0.9WT – max. 274cm (9') - 2 piece, clip end



### SPREADER BARS -T NUT - CLIP 2 ENDS



**564KC2** 19-22mm dia. x 0.9WT – max. 122cm (4') - 2 piece, clip 2 ends **564LC2** 19-22mm dia. x 0.9WT – max. 152cm (5') - 2 piece, clip 2 ends **564MC2** 19-22mm dia. x 0.9WT – max. 183cm (6') - 2 piece, clip 2 ends **564NC2** 19-22mm dia. x 0.9WT – max. 213cm (7') - 2 piece, clip 2 ends **564OC2** 19-22mm dia. x 0.9WT – max. 243cm (8') - 2 piece, clip 2 ends

**564PC2** 19-22mm dia. x 0.9WT – max. 274cm (9') - 2 piece, clip 2 ends



# SPREADER BARS & ROOF RAILS

### **HEAVY DUTY SQUARE SPREADER BARS**



**SR12** 22-25mm – max. 365cm (12') - 3 piece

**SRI5** 22-25mm – max. 457cm (15') - 3 piece

**SR18** 22-25mm - max. 548cm (18') - 4 piece

**SR20** 22-25mm – max. 608cm (20') - 4 piece


**SR24** 22-25mm - max. 730cm (24') - 5 piece

**SR30** 22-25mm - max. 912cm (30') - 6 piece

**SR36** 22-25mm - max. 1096cm (36') - 8 piece



# ROOF RAILS -T NUT (INCLUDING BRACKET)



**564W** 19-22mm dia. x 0.9WT – max. 305cm (10') - eye end



### **ROOF RAILS -T NUT (INCLUDING BRACKET) - CLIP END**

**564TC** 19-22mm dia. x 0.9WT – max. 243cm (8') - clip end **564VC** 19-22mm dia. x 0.9WT – max. 274cm (9') - clip end **564WC** 19-22mm dia. x 0.9WT – max. 305cm (10') - clip end



### ROOF RAILS -T NUT (INCLUDING BRACKET) - SPIGOT END



564VS 19-22mm dia. x 0.9VVT – max. 243cm (8) - spigot end 19-22mm dia. x 0.9WT – max. 274cm (9') - spigot end 19-22mm dia. x 0.9WT – max. 305cm (10') - spigot end



43

# **ALUMINIUM POLES**


### **ALUMINIUM TENT POLES - TWIST LOCK**



264S 22-25mm dia. x 1.2WT – max. 228cm (7'6") - mill finish 264SW 22-25mm dia. x 1.2WT – max. 228cm (7'6") - white finish 264T 22-25mm dia. x 1.2WT – max. 274cm (9') - mill finish 264TW 22-25mm dia. x 1.2WT – max. 274cm (9') - white finish 264TB 22-25mm dia. x 1.2WT – max. 274cm (9') - black finish 264TG 22-25mm dia. x 1.2WT – max. 274cm (9') - grey finish




### **ALUMINIUM TENT POLES - TWIST LOCK - CLIP END**





### **ALUMINIUM TENT POLE - CLAMP ADJUSTMENT**



264SCL 22-25mm dia. x 1.2WT – max. 228cm (76") - mill finish
264SWCL 22-25mm dia. x 1.2WT – max. 228cm (76") - white finish
264TCL 22-25mm dia. x 1.2WT – max. 274cm (9') - mill finish
264TWCL 22-25mm dia. x 1.2WT – max. 274cm (9') - white finish
264TBCL 22-25mm dia. x 1.2WT – max. 274cm (9') - black finish
264TGCL 22-25mm dia. x 1.2WT – max. 274cm (9') - grey finish



# **ALUMINIUM POLES**

# **MARQUEE POLES**

### **ALUMINIUM SPREADER BARS - CLAMP ADJUSTMENT**



264N 22-25mm spreader bar x I.2WT – max. 228cm (7'6") - mill finish
 264NW 22-25mm spreader bar x I.2WT – max. 228cm (7.6") - white finish
 264P 22-25mm spreader bar x I.2WT – max. 274cm (9') - mill finish
 264PB 22-25mm spreader bar x I.2WT – max. 274cm (9') - black finish
 264PG 22-25mm spreader bar x I.2WT – max. 274cm (9') - grey finish

**264PW** 22-25mm spreader bar x 1.2WT – max. 274cm (9') - white finish



### **ALUMINIUM SPREADER BAR BENT SPIGOTTO SUIT JAYCO VANS**



**264PJS** 22-25mm spreader bar x 1.2WT – max. 274cm (9') - mill finish



### **MARQUEE POLES**

### **ONE PIECE POLE**





### 38mmØ

### 51mmØ

MP6	183cm - I piece	ML8	244cm - 2 piece
MP7	213cm - I piece	ML9	274cm - 2 piece
MP8	244cm - I piece	ML10	304.8mm - 2 piece
MP9	274cm - 2 piece	MLII	335cm - 2 piece
MP10	304.8cm - 2 piece	ML12	366cm - 2 piece
MPII	335cm - 2 piece	ML13	396cm - 2 piece
MP12	366cm - 2 piece	ML14	416cm - 2 piece
		ML15	457.2cm - 2 piece
		ML16	488cm - 2 piece

- High quality, Australian Made marquee poles
- Made from 38mm and 51mm galvabond steel tube
- Precut lengths from 1830mm -4880mm
- · Custom lengths made to order

### **TWO PIECE POLE**



264U 22mm dia. x 0.9WT – max. 183cm (6') 264V 22mm dia. x 0.9WT – max. 214cm (7')

**264W** 22mm dia. x 0.9WT – max. 243cm (8')

**264X** 25mm dia. x 1.2WT – max. 183cm (6') - solid spigot

**264Y** 25mm dia. x 1.2WT – max. 214cm (7') - solid spigot

264Z 25mm dia. x 1.2WT - max. 243cm (8') - solid spigot

### **Optional Extras:**

- Base plate with peg holes
- Heavy duty spigot
- Three piece pole



### **SPIGOT**

**38U** • Fits 19mm

38W • Fits 22mm

**38X** • Fits 25mm





### THREADED SPIGOT

**38UT** • Fits 19mm tube

38WT • Fits 22mm tube

38XT • Fits 25mm tube





### **LONG SPIGOTS**

### **38UL**

• Fits 19mm tube; 100mm (I) **38WL** 

Fits 22mm tube; 100mm (I)

Fits 25mm tube; 100mm (I)





### **SOLID ALUMINIUM SPIGOT**

38YS • Fits 22mm tube **38Y** • Fits 25mm tube





### **BENT SPIGOT**

38UB • Fits 19mm tube

38WB • Fits 22mm tube

38XB • Fits 25mm tube





### **6MM PIN SPIGOT**

### **38WS**

• Fits 22mm tube; 6mm (l)



### **BOW KNUCKLE**

BK19 • Fits 19mm tube

BK22 • Fits 22mm tube

BK25 • Fits 25mm tube





### **BIRD BEAK & PLATE**

38E • Fits 22mm/25mm



### **SPLICE CLIP**

39K • Fits 6mm rope



### **HOOK BENT SPIGOT**

HBS • Fits 22mm





### **JAYCO BENT SPIGOT**

**IBS** • Fits 22mm tube

· Suits Jayco roof rail bracket



### **'S' BEND SPIGOT**

SBSI • Fits 22mm tube SBS2 • Fits 25mm tube





### **SQUARE'C' CLIP SUPPORT CLIP**



**38PSQ** 

• For square ridge poles

### PLASTIC SNAP CLIP





Snaps onto 19mm

38PM • Fits into 19mm

Snaps onto 22mm

Snaps onto 22mm



**38PO** • Fits into 22mm

### **JAYCO MOUNTING BRACKET SET**



### **38MSI**

 Replacement roof rail bracket for Jayco vans

38PL • Fits into 22mm

38PX • Fits into 25mm

• Snaps onto 25mm

Snaps onto 25mm

### **POLE CAP EXTERNAL**

66K • 16mm **66L** • 19mm 66M • 22mm



### **BOW MOUNT**

39T



### WINDOW BRACKET

38N



### **POLE CAP INTERNAL**

**66Q • 16mm** 66R • 19mm 66S • 22mm

**66T** • 25mm



38V



**SPIGOT DOMEWITH SPRING** 

38VSP



### **POLE CLAMP**

PCL25 • Suits 25mm O/D tube



### **PLASTIC POLE GROUND PLATE**

38P



### **T NUT & THUMBSCREW**

38Z

 Suits all steel poles



### QUICK ACTION CLAMP SPRING BUTTON CLIP

### **PCALC**

 Suits 25mm - O/D tube

### PCALC22

• Suits 22mm - O/D tube



### 38R



### **SQUARE BOW END**

### SBE22

• Fits 22mm square tube



• Fits 25mm square tube



### **CAMLOK**

### **CLK**

 Internal locking mechanism for aluminium pole



### **BOW ENDS**

### BEI

• Fits 19mm tube

### BE<sub>2</sub>

• Fits 22mm tube



• Fits 25mm tube









### **ROOF RAIL BRACKETS**

**38MS** • Stainless steel

**38MSW** • White powder coated

**38MSB** • Black powder coated




# TORNADO TARPS

### **TORNADOTARPS**











CODE SIZE

All measurements are finished sizes, so you can use every centimetre you pay for

12AXSUP6X8	6 x 8ft	- 1800mm x 2400mm
12AXSUP8X10	8 x 10ft	- 2400mm x 3050mm
12AXSUP10X12	10 x 12ft	- 3050mm x 3600mm
12AXSUP12X12	12 x 12ft	- 3600mm x 3600mm
12AXSUP12X14	12 x 14ft	- 3600mm x 4300mm
12AXSUP12X16	12 x 16ft	- 3600mm x 4800mm
12AXSUP16X20	16 x 20ft	- 4800mm x 6100mm
12AXSUP16X24	16 x 24ft	- 4800mm x 7300mm
12AXSUP20X26	20 x 26ft	- 6100mm x 7900mm
12AXSUP20X30	$20 \times 30$ ft	- 6100mm x 9100mm
12AXSUP22X30	22 x 30ft	- 6700mm x 9100mm
12AXSUP24X30	24 x 30ft	- 7300mm x 9100mm

3 Year Quality Guarantee

3 layers of XF film

> 3x superior to woven tarps

# TORNADO TARPS






- Swiss patented technology
- Guaranteed lifetime waterproof
- Made from 3 layer cross-laminated XF film
- 120GSM fabric
- Tear resistant and ripstop material
- No peeling or cracking
- Puncture resistant




- · Extra heavy duty
- · High tensile strength
- Engineered stretch and elongation for pulling in all directions
- 3X superior to traditional woven tarps
- Ultrasonic reinforced aluminium welded eyelets
- UV resistant for 3 years
- 100% recyclable

### XF FILM: HOW IT'S MADE




### Process I

The film is made with conventional blow film and three layer A, B and C coextrusion technology. UV inhibitors and film colours are added at this point.




### **Process 2B**

Another roll of film is cut on the special machine to create a film with molecular direction flowing in the other direction.



### **Process 2A**

The roll of film is placed on a special machine and is cut at an angle to create a flat web. The flat film is then rewound into a roll.



### **Process 3**

Multi layers of the spiral cut films, with molecular orientations flowing in opposite angles, are placed alternately. These are laminated together using relatively low heat and pressure, resulting in a cross directional film web.

49

### Guy Ropes 50 51 Rope & Accessories Shockcord & Fastenings 52 Tarp Accessories 53 54 Tent Pegs 55 Peggy Peg 56 Campsite Accessories Zebra Stainless Steelware 58

# **GUY ROPES**

### **PLASTIC SLIDES**



Guy rope kit, 4mm rope with plastic slide **38L** • Single



Guy rope kit, 6mm rope with plastic slide

38Q • Single 38QQ • Double

### **TIMBER SLIDES**



Guy rope kit, 6mm rope with heavy duty wood slide **38J •** Single **38JJ •** Double



Guy rope kit, 6mm rope with metal spring and heavy duty wood slide

38K • Single 38KK • Double

### **METAL SLIDES**



Guy rope kit, 6mm rope with metal slide **38A** • Single **38AA** • Double



Guy rope kit, 6mm rope with metal slide & spring **385** • Single **3855** • Double

### **POLYMER SLIDES**





Guy rope kit, 6mm rope with metal spring and polymer slide

32B • Single 32BB • Double

Want a guy rope configuration not shown? We can custom make to order!

# ROPE & ACCESSORIES

### WHITE POLYPROPYLENE MANLINE UV STABILISED

**34AC** 4mm coil - 250m

**34BC** 6mm coil - 250m

**34DC** 10mm coil - 250m

**34EC** 12mm coil - 330m

### **SILVER ROPE**

**34HR** 4mm reel - 300m

**34FC** 6mm coil - 250m

**34FR** 6mm reel - 300m

**34GC** 8mm coil - 250m

**34GR** 8mm reel - 200m

**34IC** 10mm coil - 250m

**34IR** 10mm reel - 125m

**34JC** 12mm coil - 250m

34JR 12mm reel - 125m



### **VENETIAN BLIND CORD MINI COILS**



VBB • Black, 3mm dia.

**VBW** • White, 3mm dia.



MCI • 4mm dia. x 20m (l)

MC2 • 6mm dia. x 20m (l)

**ALL SPRINGS & SLIDES AVAILABLE IN HANG SELL PACKS** 

### **COMBO SLIDE**

### **POLYMER SLIDE**



**TIMBER SLIDE** 



### 38B • Plastic slide for 4mm/6mm rope

### **WIRE ROPE SLIDE**

8mm rope

**32C** • To suit 4mm, 6mm &



38H • Suits 4mm, 6mm and 8mm rope

### TRACE SPRING RING

**38G** • 30mm dia. x 140mm (l)



**34F** • For use with plastic pegs and trace springs

### TRACE SPRINGS





51

38C - 150mm/6"

- 200mm/8" 38D

- I50mm/6" with ring 38CR - 200mm/8" with ring **38DR** 

# SHOCK CORD & FASTENINGS

### **SHOCK CORD**

SCO2 - Black shockcord, 2mm dia. x 200m (I)

SCO3 - Black shockcord, 3mm dia. x 100m (I)

**SCO4** - Black shockcord, 4mm dia. x 100m (I)

SCO5 - Black shockcord, 5mm dia. x 100m (I)

SCO6 - Black shockcord, 6mm dia. x 100m (I)

**SCO7** - Black shockcord, 7mm dia. x 50m (I)

**SCO8** - Black shockcord, 8mm dia. x 50m (I)

**SCOI0** - Black shockcord, I0mm dia. x 50m (I)



\*Note - 5mm shockcord pictured

### **SHOCK CORD LOOP**



**LPI** • Loop 70mm, cord 150mm

**LP2** • Loop 80mm, cord 170mm

LP3 • Loop 90mm, cord 190mm

**LP4** • Loop 100mm, cord 209mm

### SHOCK CORD FASTENER HOOK



66A

• Plastic, 6mm



66B

• Plastic, 8mm

### **SHOCK CORD HOOK**

KB2 • Plastic

**KB3** • Metal



### **SHOCK CORD KNOB**

KBI



# BUNGEE CORD WITHTOGGLE BALL



 For tying down tarpaulins and/or privacy screens

**ELO2** • Bulk

**ELO2P** • Pack of 2, hang sell

# ELASTIC SHOCK CORD LOOP WITH SWIVEL



 For tying down tarpaulins and/or privacy screens

**ELOI** • Bulk

**ELOIP** • Pack of 2, hang sell

# ELASTIC SHOCK CORD WITH HOOK



- Tension absorber
- With plastic coated hook

**ESCH** • Pack of 2, hang sell

**ESCHB** • Bulk

# TARP ACCESSORIES

### **HOLDTIGHT**







- Instant eyelet system for securing tarps & privacy screens
- Perfect for repairs and/or extra support

### **SHO381**

### SHO38P


### SHO38C

- Loose
- Pack of 4
- Display carton
- 15 x packs of 4



### **LITTLE GRIPPA**

- · Premium quality, long lasting shock cord
- Retains 100% stretch and recovery
- UV and wear resistant
- Available in reflective or non-reflective material







### LGI

- Reflective
- Pack of 4

Dimensions:

• 5mm dia. x 600mm (I)



### LG<sub>2</sub>

- Non-reflective
- Pack of 2

Dimensions:

• 8mm dia. x 100mm (I)

PROUT



### LG3

- Reflective
- Pack of 2

Dimensions:

• 8mm dia. x 100mm (l)



### LG4

- Non-reflective
- Pack of 4

Dimensions:

• 5mm dia. x 600mm (I)

# TENT PEGS

### **STEELTENT PEGS**



**39A** Bulk pack of 100; 4mm dia. x 175mm (l) (3/16" x 7")

**39AP** Pack of 10, hang sell

**39AL** Bulk pack of 100; 6.3mm dia. x 175mm (l) (1/4" x 7")

39ALP Pack of 10, hang sell

**39B** Bulk pack of 100; 6.3mm dia. x 225mm (l) (1/4" x 9")

39BP Pack of 10, hang sell

**39J** Bulk pack of 100; 8mm dia. x 225mm (l) (5/16" x 9")

**39JP** Pack of 6, hang sell

**39C** Bulk pack of 100; 8mm dia. x 300mm (l) (5/16" x 12")

**39CP** Pack of 6, hang sell

**39D** Bulk pack of 100; 9.5mm dia. x 350mm (l) (3/8 x 14")

39DP Pack of 4, hang sell

**39H** Bulk pack of 50; 12mm dia. x 450mm (l) (1/2" x 18")

### **PLASTIC SAND PEGS**



**39E** - 220mm (l) (9") - bulk pack of 100

**39EP** - 220mm (I) (9") - hang sell pack of 6

39F - 300mm (l) (12") - bulk pack of 100

39FP - 300mm (I) (12") - hang sell pack of 4

**39G** - 500mm (l) (19") - bulk pack of 50

39GP - 500mm (I) (19") - hang sell pack of 3

# TENT PEG PULLER



**TPPI** • 800mm (I)

· One piece design for easy removal of tent pegs

# **PEGGY PEG**

### (1) STANDARD SCREW-IN PEG

### SUPP02

- For tarps, tents, awnings etc.
- Pack of 12

Dimensions: 200mm (I)

# (2) LARGE PLASTIC PEG

### SUPP12

- · Great for sand and soft ground
- Pack of 2

Dimensions: 310mm (I)

### **HARDCORE LARGE ALUMINIUM PEG**

### SUPP13

- Best for gazebos, awnings, marquees Great for stony, rocky ground
- Pack of 2

Dimensions: 310mm (I)



### **HARDCORE ALUMINIUM PEG**

### SUHP61

- Pack of 4

Dimensions: I50mm (I)

### 5 SMALL PEG

### SUPP05

- · Use for ground matting and sunshades
- Pack of 12

Dimensions: I20mm (I)







55

### **ACCESSORIES**

### **HARDCORE COMBO TOOL**





### SUHP68

- Aluminium version of the drill adaptor + hand driver
- For drilling pegs where the torque is likely to be high
- · Recommended for drilling pegs, not screwing in by hand

### STARTER KIT



### **COMBO TOOL**

### SUPP06

- · Combines options of using manual or electrice devices into one tool, suits entire Peggy Peg range
- The 17mm hex socket assists in getting grip from pegs
- · Pegs will flex when securely anchored

### SUPP03

- Complete set-up starter pack
- Presented in a durable canvas bag, with additional space for extra pegs

### **TIE STRAP**

### SUPP25

- Guy rope & heavy duty spring act as shock absorbers
- Blue rope clips for a secure connection
- · Fast-action buckle ensures no loose ends
- Adjustable length; I.5m 3.0m

### Contains:

- Standard pegs x 30
- Small pegs x 20
- Combo tool x I
- Drill bits x 2

Pack dimensions: 80mm (d) x 360mm (w) x 130mm (h)

# **CAMPSITE ACCESSORIES**

### **SOLAR SHOWER**

### **SOLI**

- · Solar camp shower
- · Capacity: 20L



### **CANVAS BUSH SHOWER**

### 41BSC

- · Canvas bucket shower, 20L
- With plastic rose

### 40BSC

· Canvas bucket, 20L

### **80BR**

• Plastic rose, 80mm (dia.)



### **COOLER BAGS**



### **SUPCB68036**

- · Thermally insulated cooler bag
- Interior stays cool for approx. 5 hours
- · Sturdy handles for easy carrying
- Folds flat
- Made from 100% polyester
- Volume: I5L

Dimensions: 190 mm (d)  $\times 350 \text{mm}$  (w)  $\times 200 \text{mm}$  (h)

### **SUPCB68037**



- Interior stays cool for approx. 4 hours
- · Padded handles for comfort when carrying
- Folds flat
- Made from 100% polyester
- Volume: 25L

Dimensions: 260mm (d) x 420mm (w) x 260mm (h)

### **MALLET**



### нтсі

· Camping axe, 0.6kg

HATCHET/

**CAMPING AXE** 

• Fibreglass handle, 300mm

### **MINI SPLITTER**



### MISP

- Mini block splitter/stone hammer
- Fibreglass handle, 330mm

### **FIXED HANDLE SHOVEL**

### SHVI

- · Fixed handle shovel
- Wooden handle, 750mm

# T

### FOLDING HANDLE SHOVEL

### SHVZ

- Tri-fold metal handle shovel
- · Includes carry bag




# **CAMPSITE ACCESSORIES**

### **CAMPS II AUSTRALIA WIDE**

### C11A4

• Camps II Aus. wide - A4 size



- Definitive guide to low-cost camping across Australia
- For the first time, identify site types by symbol
- · Includes fold out map of Australia
- Updated site listings including dump points, facilities, free or paid site, powered/non-powered and pet allowances
- Fully ring bound and colour printed in Australia
- Features HEMA road atlas maps, with GPS coordinates and street address
- State by state site indexation

### **CARAVAN PARKS 5 AUSTRALIA WIDE**

### CPA4

• Caravan Parks 5 Aus. wide - A4 size




- Comprehensive and concise caravan parks guide
- Over 2200 tourist and caravan parks listed and verified
- Each site listing contains detailed location and facility information
- · Includes fold out map of Australia
- Features HEMA road atlas maps and GPS coordinates
- Perfect for use in conjunction with the Camps I I books
- Printed in Australia

### CIIB4

- Camps II Aus. wide B4 size
- · Includes images of every site


Now updated to Camps11



### **CAMPS COMMUNITY COOKBOOK**

### CACC

- Camps Community Cookbook
- Size: 190mm (w) x 245mm (h)



- The perfect companion on all adventures
- A uniquely Australian cookbook full of tried and true recipes generously provided by the CAMPS community
- Versatile range of recipes for camp ovens, BBQs, gas stoves, microwaves, thermal and slow cookers
- Features contributors 'best ever' campsites and caravan parks, recommended 'must see and do' and camp memories & stories

57

Printed in Australia

# **ZEBRA STAINLESS STEELWARE**

- Strong and durable kitchenware that will be the perfect companion for any camping or caravanning adventure
- Manufactued in Thailand from food grade sus304 stainless steel

### MUG



### **SUPI10007**

- Mug, 7cm dia.
- 250ml capacity

### **SUPI10009**

- Mug, 9cm dia.
- 500ml capacity

### **SUPI10008**

- Mug, 8cm dia.
- 400ml capacity

### **SUPII0010**

- Mug, I0cm dia.
- 750ml capacity

### **MUG & LID**



### **SUPII0108**

- Mug & lid, 8cm dia.
- 400ml capacity

**SUPII0109** 

- Mug & lid, 9cm dia.
- 500ml capacity

### **SUPII0110**

- Mug, I0cm dia.
- 750ml capacity

### WHISTLING KETTLE



### **SUPI13524**

- · Whistling kettle
- 3.5L capacity

### **STOCK POT**



### SUP171228

- Stock Pot, 28cm dia.
- For use on all stoves
- 17.2L capacity

# ZEBRA STAINLESS STEELWARE

### **CAMPING SET**



### SUP184211

- Three piece camping set
- Includes two pots (one with folding handle) and frying pan with folding handle

### Dimensions:

Pot with handle - 14cm dia., 1.2L capacity
Pot with folding handle - 16cm dia., 1.7L capacity
Frying pan with folding handle - 16cm dia., 700ml capacity

### **LUNCH BOX**



### SUP152016

- Rectangular lunch box
- Includes round inner box

### Dimensions:

16cm (I)  $\times$  12.5cm (w)  $\times$  5.8cm (h) 780ml capacity



### SUP152312

- Round lunch box, 12cm dia.
- 700ml capacity

### SUP152314

• Round lunch box, I4cm dia.

LOOP HANDLE POT

• I.IL capacity

### **FOOD CARRIERS**



### SUP150103

 Three-tier food carrier, 10cm dia.

### SUP150122

 Two-tier food carrier, 12cm dia.

### SUP150142

• Two-tier food carrier, 14cm dia.



### SUP151612

- · Loop handle pot, I2cm dia.
- 1.4L capacity

### SUP151614

- Loop handle pot, I4cm dia.
- 2.0L capacity

### SUP151616

• Loop handle pot, 16cm dia.

59

• 3.0L capacity

# FURNITURE

Action Chairs	60
Directors Chairs	61
Folding Chairs	62
Folding Stools	62
Tables	63

# **OUTDOOR CHAIRS**

### **CAMP QUAD CHAIR**

### 23L

- Simple, practical, comfortable
- Made from durable 600D PVC fabric and a 19mm powder coated steel frame
- Features: mesh cup holder
- Includes carry bag
- Weight Rating: I00kg

### **Dimensions:**

- Back rest 91cm
- Seat height 44cm
- Seat area 50cm (d) x 45cm (w)



### KING SIZE ACTION CHAIR

### 23K

- High quality king size action chair
- Made from durable 600D PVC fabric with 19mm powder coated steel frame
- Features: fabric cup holder, side pocket, quilted design
- · Includes carry bag
- Weight Rating: I30kg

### Dimensions:

- Back rest IIIcm
- Seat height 50cm
- Seat area 53cm (d) x 59cm (w)

### SUPER KING SIZE ACTION CHAIR

### 23P

- Super king size action chair
- Made from 600D PVC fabric with 22mm black powder coated steel frame
- Features: insulated cup holder and cooler, bottle opener, padded headrest, adjustable armrests, mesh side pocket
- · Includes carry bag
- Weight rating: I50kg

### Dimensions:

- Back rest 109cm
- Seat height 46cm
- Seat area 62cm (w) x 51cm (d)

### FIVE POSITION HARD ARM CHAIR

### **23S**

- Hard arm chair
- Backrest tilts to 5 different positions
- Made from 600D PVC fabric with 22mm black powder coated steel frame
- Features: anti-tip leg design, cup holder, wine glass holder
- Weight Rating: I30kg



### Dimensions:

- Back rest 105cm
- Seat height 46.5cm
- Seat area 49cm (w) x 47cm (d)

# **OUTDOOR CHAIRS**

### **ALUMINIUM DIRECTORS CHAIR**



### **23JA**

- · Lightweight, polished aluminium frame
- Made from 600D PVC fabric
- Features: foldable side table, cup holder, anti-tip leg design, single piece cover, padded arm rests
- Weight rating: 100kg

### **Dimensions:**

- Back rest 79cm
- Seat height 44cm
- Seat area 50cm (w) x 36cm (d)

### **BEACH CHAIR**



### 23B

- Made from hard-wearing 600D PVC fabric and a 22mm Ultralight collapsible chair steel powder coated frame
- Features: foldable design, built-in towel rail (back)
- Weight Rating: 100kg

### **Dimensions:**

- Folded: I0cm (d) x 45cm (w) x 82cm (h)
- Unfolded: 60cm (d) x 45cm (w) x 60cm (h)

### STEEL DIRECTORS CHAIR



### **23IS**

- Black powder coated steel frame directors chair
- Made from durable 600D PVC fabric
- · Features: front and back anti-tip leg design, foldable side table, cup holder, single piece cover
- · Weight rating: I 20kg

### Dimensions:

- Back rest 85cm
- Seat height 43cm
- Seat area 47cm (w) x 42cm (d)

### **COLLAPSIBLE CHAIR**



### 23G

- Made from 600D Oxford cloth and a high strength aluminium alloy frame
- · Features: easy assembly, foldable legs, scientifically structured design
- Weight Rating: I50kg

### Dimensions:

- 51cm (d) x 57cm (w) x 65cm (h)
- Fits into carry bag 36cm (I) x 15cm (w) x 11cm (d)

# FOLDING CHAIRS & STOOLS

### TRI LEG STOOLS



### 2IE

- 19mm steel legs
- 600D PVC fabric cover
- Weight rating: 100kg

Dimensions:

Seat: 30cm (d) x 30cm (w)

Stool height: 50cm

### 2IF

- 19mm steel legs
- 600D PVC fabric cover
- Weight rating: 100kg

Dimensions:

Seat: 33cm (d) x 33cm (w)

Stool height: 65cm



### **HOOP LEG STOOL**



### 21B

- Galvanised 19mm steel frame
- Canvas cover {colours vary}
- Weight Rating: 80kg Dimensions:
- Stool height 41cm
- Seat area 31cm (w) x 22cm (d)

### KING SIZE HOOP LEG STOOL



### 2IC

- Galvanised 19mm steel frame
- Canvas cover {colours vary}
- Weight Rating: 80kg Dimensions:
- Stool height 45cm
- Seat area 34cm (w) x 28cm (d)

### KING SIZE CHAIRETTE



### 23D

- Galvanised 19mm steel frame
- Canvas cover {colours vary}
- Weight Rating: 80kg
   Dimensions:
- Stool height 40cm
- Seat area 33cm (w) x 32cm (d)

# **TABLES**

### **PERSONAL TABLE**



### 31M

- Blow-moulded for superior strength
- Folds flat for the space conscious traveller
- Four adjustable height positions
- Stable on various surfaces
- Steel legs, 19mm dia.

Dimensions: 77cm (w)  $\times$  50cm (d) Heights: 12cm, 50cm, 63.5cm, 74cm

### **UTILITY TABLE**



### 31K

- Portable & lightweight
- Easy to carry, quick to set up
- Aluminium frame with MDF top
- Folding legs

Dimensions: 38cm (d) x 53cm (w) x 64cm (h)

### LIGHTWEIGHTTABLE



### 31**G**

- Classic camping table, easy to carry and assemble
- Folding legs for compact storage
- Aluminium frame with MDF top

Dimensions:  $60cm (d) \times 80cm (w) \times 70cm (h)$ 

### **FOLD-IN-HALFTABLE**



### 31PS

- Folds in half for easy transport and storage
- Aluminium frame with MDF top

Dimensions:  $40cm (d) \times 60cm (w) \times 24.5cm (h)$ 

63

# CAST IRON COOKWARE

Dutch Ovens	64
Tripods	64
Frypans, Saucepans & Jaffle Irons	65
Toasters	65
Gas Cookware	66
Gas Fittings	67
Water Containers	68
Fuel Containers & Accessories	69

# **DUTCH OVENS**

# **TRIPODS**



# **DUTCH OVEN LID LIFTER**



### **DOLI**

Dimensions: 425mm (I)

### **TRIPODS (WITH BAG)**

### TP3

Solid steel
 Dimensions:
 10mm dia. x 900mm (h)

### TP4

Solid steel
 Dimensions:
 10mm dia. x 1200mm (h)



### TP5

- Multipurpose can be used with frypans, skillets, ovens, woks and saucepans
- Folds flat for easy storage

# FRYPANS, SAUCEPANS, JAFFLE IRONS & TOASTERS

### **FRYPANS**

· Pre-seasoned with a wooden handle and griddle base



FPFH2

Round

Dimensions: 210mm (w) x 350mm (d) Dimensions: 240mm dia.



FPFH3

 Square Dimensions: 240mm (w) x 240mm (d)

### **FRYPANS**

Rectangular

**FPFHI** 

• Pre-seasoned with wooden screw-in handle









### FP9

 Round Dimensions: 220mm dia.

### FPI0

 Square, griddle base Dimensions: 250mm dia.

### **FPII**

 Round Dimensions: 280mm dia.

### FPI2

 Round Dimensions: 300mm dia.

### **SAUCEPANS**

· Pre-seasoned with wooden handle



### SP<sub>2</sub>

• 2 quart saucepan

### SP3

• 3 quart saucepan

### **JAFFLE IRONS**

• Pre-seasoned with metal clasp and wooden handle



### JISL

· Single jaffle iron Dimensions: 130mm (w) x 140mm (d)



### JIDL

· Double jaffle iron Dimensions:

 $275mm (w) \times 140mm (d)$ 





• Single slice box toaster

Dimensions:

110mm (d) x 165mm (w) x 30mm (h)



### M4SLT

· Four slice box toaster Dimensions: 200mm dia. x 15mm (h) Assembled height - 220mm



65 www.supex.com.au

# GAS COOKWARE

### **SINGLE RING BURNER**



**DUAL RING BURNER** 



**TRIPLE RING BURNER** 



**RB20** 

• Hose (1.2m) and regulator included • Hose (1.2m) and regulator included

**RB30** 

**RB40** 

### **QUAD RING BURNER**



**SINGLE COUNTRY COOKER** 



**DUAL** COUNTRY COOKER



**RB50** 

### **CC100**

### **CC200**

• Hose (1.2m) and regulator included • Hose (1.2m) and regulator included

### TRIPLE COUNTRY COOKER

### **CC300**

• Hose (1.2m) and regulator included



# **GAS FITTINGS**



### **RP4W600**

- Hose gas PVC 8mm x 600mm
- 1/4 2kg / hr POL regulator



### AC24

- Adaptor companion 3/8 BSPM
- LH x Pol Male 90deg



### ACI9A

- Adaptor companion 3/8 BSP
- LH x Pol Male



### ACI0A

- Adaptor companion 3/8 BSPF
- LH x Pol Female 90deg



### AC05B

Adaptor I/4 BSPM x 3/8 BSPM



### **RP4W900**

- Hose gas PVC 8mm x 900mm
- 1/4 2kg / hr POL regulator



### CC56LG

• Leg with screw for single, dual & triple country cooker



### AC18

• Adaptor I/4 BSPM x Pol Male



### ACI0

- Adaptor companion 3/8 BSPF
- LH x Pol Female



### AC27

• Adaptor I/4 BSPF x 3/8 SAEM for BBQ and ring burners



### AC3O

• O Ring for Pol 3 pack



### AC31

- Rubber nose cone Pol regulator
- Pack of 3



### AC05A

Adaptor I/4 BSPM x I/4 BSPM



### AC20

- Adaptor elbow 90deg 1/4
- BSPM x I/4 BSPF



### AC35

- Adaptor quick connect 3/8
- SAEF x 3/8 SAEM

# WATER CONTAINERS

### **BASINS**

### **PCR**

- Round plastic basin
- Dimensions:
- 30mm (dia.) x 120mm (h)
- Volume: 8L

### **PCS**

- Rectangular basin
- Dimensions: 360mm(w) x 300mm (d) x 120mm (h)
- Volume: 9L



### **WATER CUBES**

• Australian Made

PC15 • Volume: I5L

Made from HDPE

PC20 · Volume: 20L

• Food grade

**PC25** • Volume: 25L

• BPA free



### **WATER JERRY CANS**

- Australian Made
- Made from HDPE
- Food grade
- BPA free

AT5 • Volume: 5L

ATIO • Volume: IOL

**AT20** • Volume: 20L

AT20G • Volume: 20L; heavy duty









# FUEL CONTAINERS & ACCESSORIES

### **FUEL DRUMS**



- **J5** Fully approved fuel container
  - Volume: 5L
- JIO Fully approved fuel container
  - Volume: I0L

- **J20C** Fully approved fuel container, red
  - Volume: 20L
- 120F Fully approved diesel container, yellow
  - Volume: 20L

### UNIVERSAL ON/OFFTAP CAPAEROFLOWTAP

### **PCT**



### **PCAFC**

• To suit water cube



### **ON/OFF SNAPTAP**

### **SNT**

### **SNTI**

Prepacked





### **BUNG AEROFLOW TAP**



### **PCAFB**

• To suit water cube and/or jerry can

### **UNIVERSAL BUNG**

**PCB** 





### **SPA**

 Assists opening water cube
 To suit water cube caps & bungs





69

PCC

**CAP** 

Webbing Hook & Loop Tape 70 70 Canvas Accessories 71 Tear Aid 72 Fabric Treatment 73

# **WEBBING**

# **HOOK & LOOP TAPE**

### **BACK-TO-BACK HOOK & LOOPTAPE**

### **BB25**

Back to back tape, black, 25mm (w) x 12.5m (l)

Back to back tape, black, 50mm (w) x 12.5m (l)

### **HOOK & LOOPTAPE**



### **POLY WEBBING**



PW20 Black webbing, 20mm (w) x 50m (l) PW25 Black webbing, 25mm (w) x 50m (l) **PW38** Black webbing, 38mm (w) x 50m (l) PW50 Black webbing, 50mm (w) x 50m (l) **SBW25** Black seat belt webbing, 25mm (w) x 100m (l) **SBW50** Black seat belt webbing, 50mm (w) x 100m (l)

### **SELF ADHESIVE ROLLS**

HSA25BL	Black hook	- 25mm (w) x 25m (l)
LSA25BL	Black loop	- 25mm (w) x 25m (l)
HSA25WH	White hook	- 25mm (w) x 25m (l)
LSA25WH	White loop	- 25mm (w) x 25m (l)
HSA50BL LSA50BL	Black hook Black loop	- 50mm (w) x 25m (l) - 50mm (w) x 25m (l)
LSA50BL	Black loop	` '

### **SEW ON ROLLS**

HSW25BL LSW25BL HSW25WH LSW25WH HSW25BE	Black loop White hook White loop Beige hook	- 25mm (w) x 25m (l) - 25mm (w) x 25m (l)
LSW25BE HSW25GR LSW25GR	Beige loop Grey hook Grey loop	- 25mm (w) x 25m (l) - 25mm (w) x 25m (l) - 25mm (w) x 25m (l)
HSW50BL	Black hook	- 50mm (w) x 25m (l)
LSW50BL HSW50WH	Black loop White hook	- 50mm (w) x 25m (l) - 50mm (w) x 25m (l)
LSW50WH HSW50BE LSW50BE	White loop Beige hook Beige loop	- 50mm (w) x 25m (l) - 50mm (w) x 25m (l) - 50mm (w) x 25m (l)
HSW50GR LSW50GR	Grey hook Grey loop	- 50mm (w) x 25m (l) - 50mm (w) x 25m (l)

# **CANVAS ACCESSORIES**

### **TRIGLIDES**

### LADDER LOCK

### SIDE RELEASE BUCKLES



**66C** 19mm **66D** 25mm **66E** 38mm **66F** 50mm



**66G** 19mm **66H** 25mm



SRB19 Black, 19mm SRB25 Black, 25mm SRB38 Black, 38mm SRB50 Black, 50mm

### **VERTICALT-TOGGLE WITH METAL FLIPPER**

### HORIZONTALT-TOGGLE CANVASTO CANVAS WITH METAL FLIPPER

## **T-TOGGLEWITH METAL FLIPPER**



66NW White Black 66NB 66NWD White, double 66NBD Black, double



66**OW** White 66**O**B Black **660WD** White, double **66OBD** Black, double



66IW White 661B Black 66IWD White, double 66IBD Black, double

71

### **D-RINGS STEEL NICKEL PLATED**



**DRI** 3.2mm (dia.)  $\times$  25mm (w)  $\times$  21mm (d) **DR2** 5mm (dia.) x 25mm (w) x 23mm (d) **DR3** 6mm (dia.) x 38mm (w) x 38mm (d) **DR4** 6mm (dia.) x 52mm (w) x 46mm (d)

Accessories available in bulk and hang sell packs

# **TEAR AID**

### **TEARAID FABRIC REPAIR**









# TYPE A Gold:

- Original general repair
- For canvas, rubber, aluminium

### **RETAIL PACK**

- Includes I x 75mm (w) x 300mm (l) piece
- Plus additional small patches



TYPE A Gold TAO



TYPE B Green TAV

### TYPE B

### Green:

• For vinyl & vinyl coated materials

### Blue:

• For vinyl seats on bicycles, boats etc.

### Yellow:

• For inflatables, including air beds



TYPE B Blue TAB



TYPE B Yellow TAY

### **WORKSHOP PACK**

• Includes I x 75mm (w) x 1500mm (l) roll



TYPE A Gold TAO2



TYPE B Green TAV2

### LARGE ROLL / TEAR AID ROLL

• Includes I x 150mm (w) x 9.1m (l) rolll



TYPE A Gold TAO3



TYPE B Green TAV3

# FABRIC TREATMENT

### WATERPROOFER

### **STWP**

• Spray can; 500mL

### **STWB**

- Liquid; 500mL
- Dilutes to 4 Litres
- Covers 20m<sup>2</sup>
- High concentrate textile coating for fabric treatment
- Permanently elastic and breathable
- Can be applied to moist fabric





### **CAMPER CLEANER**

### **STCC**

- Liquid; 500mL
- For use in caravans, campers, boats, cars
- AND interiors, barbeques, garden furniture
- Removes algae, tar, insects, dirt etc.
- · Environmentally friendly



### **OUTDOOR SPRAY**

### **STOS**

- Spray can; 500mL
- For use on outer of outdoor clothing made from waterproof, windproof and breathable fabrics
- Also suited for use on other outdoor clothing, e.g. fleece and shoes
- · Silicone free for ventilation



### **LEAK REPAIR**

### **STPR**

- Liquid; 80mL
- Leak repair for punctures and holes in PVC and vinyl
- Can be used underwater
- Includes applicator brush



### **TENT CLEANER**

### **STTC**

- · Liquid, 500mL
- Detergent for tents, garden parasols, sun shades, awnings, boat sails, chair cushions
- · Removes seasonal soiling
- Environmentally friendly
- Treats approx. 50m<sup>2</sup> of material (E.g. canvas, cotton, dralon, acrylic, nylon, polyester, PVC coatings)



### **SEAM SEALER**

### STSS

- Liquid; 85mL
- Waterproofing compound for use on *inside* of seams
- Includes applicator brush



73

**Boat Sets** 74 Pumps & Accessories 74 Inflatable Riders 75 Tents & Shelters 76

# **BOAT SETS**

# **PUMPS & ACCESSORIES**

### **BOAT SET - SINGLE SEAT**

### BTI

- · Single seat inflatable boat; inflatable floor for comfort
- Features: tow ring & tow rope, built-in grommets, oar clasps
- Includes oar set

Dimensions: 107cm (w) x 165cm (l)



- Double seat inflatable boat; inflatable floor for comfort
- Features: tow ring & tow rope, built-in grommets, oar clasps

Dimensions: I 15cm (w) x 197cm (l)

**BOAT SET - DOUBLE SEAT** 



### **OAR SETS FOR INFLATABLES**



### **OARI**

- · Plastic oar set with ribbed blade
- · Three section structure for easy assembly

### OAR<sub>2</sub>

- · Sectional aluminium oar set
- Can be used as one twin blade paddle; 2.18m (I)
- OR two single blade paddles, each 1.45m (I)

### **12V AIR PUMP**



I2V Pump

### 240V AIR PUMP



PP2

240V Pump

### **FOOT BELLOWS**



PP3

Foot bellows, 5000CC

### **PUSH/PULL PUMP**



- 13000CC Inflates/deflates
- on up/down stroke

### **BOSTON VALVE**



### BV

· Boston valve to suit air bed

### **HEAVY DUTY REPAIR PATCH**

### **HDRP**

- · Specifically for repairing inflatables
- Includes 10 patches



# INFLATABLE RIDERS

### SINGLE SEAT INFLATABLE



Premium construction with backrest



Cool mesh bottom



One cup holder



### **SUP43108**

- · Interlocking quick release valve
- Wrap around grab rope with built in grommets
- Includes repair patch
- Weight Rating: 90kg

Dimensions: I 19cm dia. (deflated)

### **LUXURY SINGLE SEAT INFLATABLE**



Cool mesh bottom



Two cup holders



Heavy duty handles



SUP43116

- Interlocking quick release valves
- Wrap around grab rope with built in grommets
- Includes repair patch
- Weight Rating: 90kg

Dimensions: 135cm dia. (deflated)

### **DOUBLE SEAT INFLATABLE**



Premium construction with backrest



Pliable mesh bottom



Two cup holders



Heavy duty handles



- Interlocking quick release valves
- · Includes heavy duty repair patch
- Weight Rating: 180kg

Dimensions:

251cm (w) x 132cm (d) (deflated)



### **FOUR SEAT INFLATABLE**



Premium construction with backrest



Pliable mesh bottom



Four cup holders



BONUS: Built in coolers

75

### **SUP43115**

- Interlocking quick release valves
- · Four grab ropes with built in grommets
- Two storage buckets
- · Includes heavy duty repair patch
- Weight Rating: 360kg

Dimensions:

257cm (w) x 257cm (d) (deflated)



### **COOL QUICK 2TENT**



### SUP68097

- Single layer pop up tent
- One entrance, 3 ventilation openings
- · One pole structure for easy pitching and folding
- Set up time: 3mins
- · Capacity: 2 people
- Fabric: 180T polyester PU coated
- Ground protection: I 10G/M<sup>2</sup> PE
- Guy rope: polyester

### **COOL MOUNT 2 TENT**



### **SUP68086**

- Single layer pop up tent
- One entrance, 2 side windows
- Set up time: 3mins
- Capacity: 2 people
- Fabric: 190T polyester PU coated
- Ground protection: I20G/M<sup>2</sup> PE
- Guy rope: polyester

### **COOL DOME 3 TENT**



### **SUP68085**

- Single layer
- One entrance
- Set up time: 8min
- Capacity: 3 people
- Fabric: 190T polyester PU coated
- Gound protection: I 10G/M<sup>2</sup> PE
- Guy rope: polyester

### **ACTIVE MOUNT 3 TENT**



### **SUP68090**

- Double layer, double entrance, stocking area with extra floor
- Set up time: I5mins
- Capacity: 3 people
- Outer tent fabric: I 90T polyester PU coated
- Inner tent fabric: I 90T polyester breathable
- Ground protection: I20G/M <sup>2</sup> PE
- Guy rope: polyester

# **SHELTERS**

### **BEACHTENT**



### **SUP68044**

- Simple set up
- Carry bag for easy transport
- Capacity: 2 people
- Fabric: 190T polyester PA coated
- Ground protection: I 00G/M<sup>2</sup> PE

### **RAMBLE X2TENT**



### **SUP68001**

- Easy to set up and convenient to carry
- Capacity: 2 people
- Fabric: 170T polyester PA coated
- Ground protection: I 10G/M<sup>2</sup> PE

### **SECURA BEACHTENT**



### **SUP68045**

- Sets up in seconds
- · Protection from sun with UPF40+ rating
- Capacity: 2 people
- Fabric: 190T polyester PA silver coated
- Ground protection: I20G/M<sup>2</sup> PE

### **STATION PORT CHANGING STATION**



### **SUP68002**

- Offers privacy on beach, lake or pool
- Two side windows and removable floor drain
- Capacity: I person
- Fabric: 170T polyester PA Coated
- Ground protection: I I 0G/M<sup>2</sup> PE

www.supex.com.au 77

# **AIR BEDS**

### **DELUXE OFF ROAD 4WD MAT**

- Self inflating with non-slip base
- Fully bonded with Micro Peach Skin polyester surface
- · CFC-free foam
- Large top seam valves for superior inflation & deflation
- Two year warranty
- · Includes carry bag and compression straps

### AB50

Single, inflated - 195cm (I)  $\times$  60cm (w)  $\times$  6cm (d)

**AB502** 

Mega, inflated -195cm (I)  $\times$  80cm (w)  $\times$  6cm (d)

**AB503** 

Mega Plus, inflated - 195cm (I) x 100cm (w) x 6cm (d)

### **AB506**

Twin, inflated -195cm (I)  $\times 120$ cm (w)  $\times 6$ cm (d)

### AB504

Double, inflated - 195cm (I) x 130cm (w) x 6cm (d)

### **AB505**

Queen, inflated - 195cm (I) x 150cm (w) x 6cm (d)

### **VELOURAIR BEDS**

- SID Valve (Smart Inflation/Deflation)
- · Coil beam construction
- PVC base
- Velour top

### **AIRBI**

Single -  $185cm (l) \times 76cm (w) \times 22cm (d)$ 

AIRB2

Twin - 188cm (I)  $\times$  99cm (w)  $\times$  22cm (d)

AIRB3

Double -  $191cm (l) \times 137cm (w) \times 22cm (d)$ 

AIRB4

Queen - 203cm (I) x 152cm (w) x 22cm (d)



# SLEEPING BAGS

### **EVADE 15**





### SUP68099

- Two designs available
- 'S' shape quilting
- Ideal temperature range: 7° ~ 11°
- Shell fabric: 170T polyester
- Lining fabric: 170T polyester
- Padding: 170g/m<sup>2</sup> hollow fibre

### **EVADE 10**





# 190 cm/75"

### SUP68100

Elastic straps

**HIBERHIDE 5** 

- Circular shape quilting
- Ideal temperature range: 3° ~ 8°
- Shell fabric: 190T polyester
- Lining fabric: 190T polyester
- Padding: 220g/m<sup>2</sup> hollow fibre

### **EVADE 5**





**Pillow** included



I way zipper



### SUP68101

- Two designs available
- Circular shape quilting
- Elastic straps
- Ideal temperature range: 4°~ 8°
- Shell fabric: 190T polyester
- Lining fabric: 190T polyester
- Padding: 300g/m<sup>2</sup> hollow fibre

### HIBERHIDE 10



I way zipper



### SUP68102

- Two designs available
- Oblique line quilting on front; straight quilting on back
- Semi-circular hood for head support and insulation
- Ideal temperature range: 6°~ 10°
- Shell fabric: I 70T polyester
- Lining fabric: I 70T polyester Padding: 170g/m<sup>2</sup> hollow fibre



2 way

zipper

### SUP68103

Anti-cold

shoulder flap

- Oblique line quilting on front; straight quilting on back
- Semi-circular hood with drawstring for head support and insulation
- Insulating draft protection along zipper
- Ideal temperature range: 3° ~ 8°
- Shell fabric: 210T polyester
- Lining fabric: 190T polyester
- Padding: 250g/m2 hollow fibre

### **HIBERHIDE 0**









2 way zipper



### SUP68104

- · Oblique line quilting on front; straight quilting on back
- · Semi-circular hood with drawstring for head support and insulation
- · Insulating draft protection along zipper
- Ideal temperature range: -1° ~ -4°
- Shell fabric: 210T polyester, rib-stop
- Lining fabric: 190T polyester pongee
- Padding: 150g/m<sup>2</sup> double layer, hollow fibre

# FOR THE CARAVAN & LEISURE INDUSTRY

9 LOCKYER STREET GOULBURN NSW 2580 PO BOX 215 GOULBURN NSW 2580

PHONE: 02 4823 6001 FREECALL: 1800 805 826 FAX: 02 4823 6099

EMAIL: SALES@SUPEX.COM.AU